

COMPREHENSIVE SECURITY SOLUTIONS INC.





"The Architects of Security"


2nd Avenue Nurse Land Tweedside Road, St. Michael, Barbados


Tel: 1(246)266-3886 / Fax: 1(246)571-2315 / Email: comprehensivesecuritysolutions@caribsurf.com


HD Camera Price List(V17.9.1)


I HD Fixed Lens Dome Camera (AHD, CVI, TVI, 4 in 1)


| Product Image | Specification | Lens | Chipset Specifications | | | | Price(USD/unit) | Model No. |
|--|--|-------------------------------------|------------------------|-----------------------|---|--|-----------------|--------------|
| | | | | | | | Sample | |
|  <p>◆ 2" Mini Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: ☉ SX12pcs, IR Range: 15M ◆ 100PCS Per Carton ◆ Size: 60mm x 50mm ◆ Weight: 350g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11.80 | VD-IMB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13.50 | VD-IMB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.80 | VD-IMB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.30 | VD-IMB50SHD | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8.50 | VD-IMB10VHD |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.50 | VD-IMB13MHD |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IMB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$21.80 | VD-IMB20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.50 | VD-IMB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IMB40VHD |
|  <p>◆ 3" Plastic IR Dome Camera ◆ IR LED: 14μX12PCS, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$9.88 | VD-IOB20PHDS | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11.80 | VD-IOB20XHDS | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$17.80 | VD-IOB20THDS | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$18.80 | VD-IOB50SHDS | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$6.66 | VD-IOB10VHDS |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$9.80 | VD-IOB13MHDS |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$10.30 | VD-IOB13AHDS |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$20.50 | VD-IOB20WHDS |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IOB30AHDS |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.30 | VD-IOB40VHDS |
|  <p>◆ 3" Plastic IR Dome Camera ◆ IR LED: ☉ SX24pcs, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$9.88 | VD-IOB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11.80 | VD-IOB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$17.80 | VD-IOB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$18.80 | VD-IOB50SHD | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$6.66 | VD-IOB10VHD |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$9.80 | VD-IOB13MHD |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$10.30 | VD-IOB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$20.50 | VD-IOB20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IOB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.30 | VD-IOB40VHD |
|  <p>◆ 3" Plastic IR Dome Camera ◆ IR LED: ☉ SX24pcs, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$10.30 | VD-IQB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$12.30 | VD-IQB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$18.30 | VD-IQB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.30 | VD-IQB50SHD | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$7.30 | VD-IQB10VHD |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10.30 | VD-IQB13MHD |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$10.80 | VD-IQB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$20.80 | VD-IQB20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12.30 | VD-IQB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IQB40VHD |



| | | | | | | | | | |
|---|--|--|-------------------------|-------|-----------------------|---|--|---|--------------|
|  | <ul style="list-style-type: none"> ◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 14 x X12PCS, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11.80 | VD-IAB20PHDS | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13.50 | VD-IAB20XHDS | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.50 | VD-IAB20THDS | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.30 | VD-IAB50SHDS | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8.50 | VD-IAB10VHDS |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.50 | VD-IAB13MHDS |
| | | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IAB13AHDS |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22.30 |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IAB30AHDS |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IAB40VHDS |



| | | | | | | | | | |
|---|--|--|-------------------------|-------|-----------------------|---|--|---|-------------|
|  | <ul style="list-style-type: none"> ◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 14 x X12pcs, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11.80 | VD-IAB20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13.50 | VD-IAB20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.50 | VD-IAB20THD | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.30 | VD-IAB50SHD | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8.50 | VD-IAB10VHD |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.50 | VD-IAB13MHD |
| | | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IAB13AHD |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22.30 |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IAB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IAB40VHD |



| | | | | | | | | | |
|--|--|--|-------------------------|-------|-----------------------|---|--|---|--------------|
|  | <ul style="list-style-type: none"> ◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 14 x X12PCS, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11.80 | VD-IBB20PHDS | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13.50 | VD-IBB20XHDS | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.50 | VD-IBB20THDS | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.30 | VD-IBB50SHDS | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8.50 | VD-IBB10VHDS |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.50 | VD-IBB13MHDS |
| | | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IBB13AHDS |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22.30 |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IBB30AHDS |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IBB40VHDS |



| | | | | | | | | | |
|---|--|--|-------------------------|-------|-----------------------|---|--|---|-------------|
|  | <ul style="list-style-type: none"> ◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 14 x X12pcs, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11.80 | VD-IBB20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13.50 | VD-IBB20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.50 | VD-IBB20THD | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.30 | VD-IBB50SHD | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8.50 | VD-IBB10VHD |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.50 | VD-IBB13MHD |
| | | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IBB13AHD |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22.30 |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IBB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IBB40VHD |



| | | | | | | | | | |
|---|--|-------------------------------------|-------------------------|-------|-----------------------|---|--|---|-------------|
|  | <ul style="list-style-type: none"> ◆ 2" Mini Plastic IR Dome Camera ◆ Obscured glass, hidden IR LED ◆ IR LED: 5X12pcs, IR Range: 15M ◆ 50PCS Per Carton ◆ Size: 60mm x 50mm ◆ Weight: 350g | Default: Board Lens 3.6mm | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$10.50 | VD-INB20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$12.30 | VD-INB20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$18.30 | VD-INB20THD | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$18.80 | VD-INB50SHD | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$7.30 | VD-INB10VHD |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10.30 | VD-INB13MHD |
| | | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$10.80 | VD-INB13AHD |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$20.80 |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12.30 | VD-INB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.50 | VD-INB40VHD |






| | | | | | | | | |
|---|---|-------------------------|-------|-----------------------|---|--|---|-------------|
|   <p>◆ 4" Mini PVC I Dome Camera ◆ Obscured glass, hidden IR Led ◆ IR LED: 2 pcs IR-III Led, IR Range: 25M ◆ 24PCS Per Carton ◆ Size: 140mm x 70mm ◆ Weight: 50g</p> | <p>Default: Board Lens 3.6mm</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$10.80 | VD-ILB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$12.60 | VD-ILB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$18.60 | VD-ILB20THD | |
| | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.10 | VD-ILB50SHD |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$7.60 | VD-ILB10VHD |
| | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10.60 | VD-ILB13MHD |
| | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$11.10 | VD-ILB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$21.10 |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12.60 | VD-ILB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-ILB40VHD |


| | | | | | | | | |
|--|--|-------------------------|-------|-----------------------|---|--|---|-------------|
|   <p>◆ 360 Degree Panoramic camera ◆ IR LED: 5X3pcs, IR Range: 10M ◆ 24PCS Per Carton ◆ Size: 140mm x 60mm ◆ Weight: 50g</p> | <p>Default: Board Lens 1.7mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$14.30 | VD-IVB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15.50 | VD-IVB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.30 | VD-IVB20THD | |
| | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.80 | VD-IVB50SHD |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10.80 | VD-IVB10VHD |
| | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IVB13MHD |
| | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$14.30 | VD-IVB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$23.30 |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.80 | VD-IVB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 | VD-IVB40VHD |


| | | | | | | | | |
|---|--|-------------------------|-------|-----------------------|---|--|---|-------------|
|   <p>◆ 360 Degree Panoramic camera ◆ IR LED: 5X3pcs, IR Range: 10M ◆ 24PCS Per Carton ◆ Size: 120mm x 70mm ◆ Weight: 60g</p> | <p>Default: Board Lens 1.7mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15.30 | VD-IWB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$16.50 | VD-IWB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23.30 | VD-IWB20THD | |
| | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23.80 | VD-IWB50SHD |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IWB10VHD |
| | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14.80 | VD-IWB13MHD |
| | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IWB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$24.30 |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$16.80 | VD-IWB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18.30 | VD-IWB40VHD |


| | | | | | | | | |
|--|--|-------------------------|-------|-----------------------|---|--|---|-------------|
|   <p>◆ 2" Vandalproof IR Dome Camera ◆ IR LED: 5X12pcs, IR Range: 15M ◆ 24PCS Per Carton ◆ Size: 120mm x 60mm ◆ Weight: 550g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$14.30 | VD-IJB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15.50 | VD-IJB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.30 | VD-IJB20THD | |
| | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.80 | VD-IJB50SHD |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10.80 | VD-IJB10VHD |
| | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IJB13MHD |
| | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$14.30 | VD-IJB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$23.30 |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.80 | VD-IJB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 | VD-IJB40VHD |


| | | | | | | | | |
|--|--|-------------------------|-------|-----------------------|---|--|---|-------------|
|   <p>◆ 2" Vandalproof IR Dome Camera ◆ IR LED: 5X12pcs, IR Range: 15M ◆ 24PCS Per Carton ◆ Size: 120mm x 65mm ◆ Weight: 600g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15.30 | VD-IRB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$16.50 | VD-IRB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23.30 | VD-IRB20THD | |
| | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23.80 | VD-IRB50SHD |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IRB10VHD |
| | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14.80 | VD-IRB13MHD |
| | | | | 960P | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IRB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$24.30 |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$16.80 | VD-IRB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18.30 | VD-IRB40VHD |


| | | | | | | | | |
|---|--|-------------------------|-------|-----------------------|---|--|-------------|-------------|
|  <ul style="list-style-type: none"> ◆ 3" Plastic IR Dome Camera ◆ IR LED: 1pc, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 95mm x 45mm ◆ Weight: 300g | <p>Default: Board Lens 3.6mm</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11 | VD-ICB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13 | VD-ICB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20 | VD-ICB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$21 | VD-IRB50SHD | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8 | VD-ICB10VHD |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11 | VD-ICB13MHD |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12 | VD-ICB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22 | VD-ICB20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VD-ICB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15 | VD-ICB40VHD |
|  <ul style="list-style-type: none"> ◆ 3" Plastic IR Dome Camera ◆ IR LED: 5X24pcs, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 95mm x 45mm ◆ Weight: 300g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11 | VD-IDB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13 | VD-IDB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20 | VD-IDB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$21 | VD-IDB50SHD | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8 | VD-IDB10VHD |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11 | VD-IDB13MHD |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12 | VD-IDB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22 | VD-IDB20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VD-IDB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15 | VD-IDB40VHD |
|  <ul style="list-style-type: none"> ◆ 2" Metal IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: 5X12pcs, IR Range: 15M ◆ 24PCS Per Carton ◆ Size: 95mm x 45mm ◆ Weight: 400g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15 | VD-IFB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$17 | VD-IFB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23 | VD-IFB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24 | VD-IFB50SHD | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$12 | VD-IFB10VHD |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$15 | VD-IFB13MHD |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$16 | VD-IFB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$25 | VD-IFB20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VD-IFB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VD-IFB40VHD |
|  <ul style="list-style-type: none"> ◆ 4" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 5X36pcs, IR Range: 30M ◆ 24PCS Per Carton ◆ Size: 119mm x 82mm ◆ Weight: 880g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$16 | VD-IEB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$18 | VD-IEB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24 | VD-IEB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$25 | VD-IEB50SHD | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VD-IEB10VHD |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$16 | VD-IEB13MHD |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VD-IEB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$27 | VD-IEB20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VD-IEB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$19 | VD-IEB40VHD |
|  <ul style="list-style-type: none"> ◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: 5X15pcs, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 75mm x 55mm ◆ Weight: 400g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$16 | VD-IGB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$18 | VD-IGB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24 | VD-IGB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$25 | VD-IGB50SHD | |
| | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VD-IGB10VHD |
| | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$16 | VD-IGB13MHD |
| | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VD-IGB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$27 | VD-IGB20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VD-IGB30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$20 | VD-IGB40VHD |

| | | | | | | | | | |
|---|--|--------------------------------|-------|-----------------------|---|--|--|-------------|-------------|
|  <p>◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 1 pc IR-III Led, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 95mm x 55mm ◆ Weight: 480g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VD-IHB20PHD | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$16 | VD-IHB20XHD | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VD-IHB20THD | | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23 | VD-IHB50SHD | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11 | VD-IHB10VHD |
| | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VD-IHB13MHD |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15 | VD-IHB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$25 | VD-IHB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$16 | VD-IHB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VD-IHB40VHD |





| | | | | | | | | | |
|--|--|--------------------------------|-------|-----------------------|---|--|--|-------------|-------------|
|  <p>◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 5X24pcs, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 65mm ◆ Weight: 480g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$12.30 | VD-IHB20PHD | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13.80 | VD-IHB20XHD | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.80 | VD-IHB20THD | | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.80 | VD-IHB50SHD | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8.80 | VD-IHB10VHD |
| | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IHB13MHD |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12.30 | VD-IHB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22.80 | VD-IHB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IHB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IHB40VHD |


| | | | | | | | | | |
|--|--|--------------------------------|-------|-----------------------|---|--|--|--------------|--------------|
|  <p>◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 14 u X12PCS, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$12.30 | VD-IKB20PHDS | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13.80 | VD-IKB20XHDS | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.80 | VD-IKB20THDS | | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.80 | VD-IKB50SHDS | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8.80 | VD-IKB10VHDS |
| | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IKB13MHDS |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12.30 | VD-IKB13AHDS |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22.80 | VD-IKB20WHDS |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IKB30AHDS |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IKB40VHDS |


| | | | | | | | | | |
|--|--|--------------------------------|-------|-----------------------|---|--|--|-------------|-------------|
|  <p>◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 5X24pcs, IR Range: 20M ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$12.30 | VD-IKB20PHD | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13.80 | VD-IKB20XHD | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$19.80 | VD-IKB20THD | | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.80 | VD-IKB50SHD | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$8.80 | VD-IKB10VHD |
| | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.80 | VD-IKB13MHD |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12.30 | VD-IKB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$22.80 | VD-IKB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-IKB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IKB40VHD |


| | | | | | | | | | |
|--|--|--------------------------------|-------|-----------------------|---|--|--|-------------|-------------|
|  <p>◆ 3" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ IR LED: 5X24pcs, IR Range: 20M ◆ 24PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g</p> | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VD-IPB20PHD | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15 | VD-IPB20XHD | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$21 | VD-IPB20THD | | |
| | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VD-IPB50SHD | |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10 | VD-IPB10VHD |
| | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VD-IPB13MHD |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VD-IPB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$24 | VD-IPB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15 | VD-IPB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VD-IPB40VHD |


II HD Varifocal Lens Dome Camera (AHD, CVI, TVI, 4 in 1)

| Product Image | Specification | Lens | Chipset Specifications | | | | Price(USD/unit) | Model No. | |
|---|---|---|-----------------------------|-----------------------|-----------------------|---|--|--------------|--------------|
| | | | | | | | Sample | | |
|  <p>◆ 4" 3-Axis Plastic Dome Camera ◆ 24PCS Per Carton ◆ Size: 127mm x 91mm ◆ Weight: 580g</p> | <p>◆ IR LED: \varnothing 5X24PCS, IR Range: 20M ◆ 24PCS Per Carton ◆ Size: 149mm x 99mm ◆ Weight: 680g</p> | <p>Default: 2.8-12mm Manual Zoom Lens</p> | 4 IN 1 TVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$14.30 | VD-OV20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15.80 | VD-OV20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$21.80 | VD-OV20THD | |
| | | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.30 | VD-OV50SHD |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10.80 | VD-OV10VHD |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13.30 | VD-OV13MHD |
| | | | | | 2MP WDR | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VD-OV13AHD |
| | | | | | | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$24.30 | VD-OV20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.80 | VD-OV30AHD |
| | | | 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 | VD-OV40VHD |
| | | | | | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$22.00 | VD-OV20FHD | |
| | | | 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$27.30 | VD-OV20AHD | |
|  <p>◆ 4" 3-Axis Plastic Dome Camera ◆ IR LED: \varnothing 5X24PCS, IR Range: 20M ◆ 24PCS Per Carton ◆ Size: 149mm x 99mm ◆ Weight: 680g</p> | <p>◆ IR LED: \varnothing 5X24PCS, IR Range: 20M ◆ 24PCS Per Carton ◆ Size: 149mm x 99mm ◆ Weight: 680g</p> | <p>Default: 2.8-12mm Manual Zoom Lens</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15.80 | VD-IOV20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$17.30 | VD-IOV20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23.30 | VD-IOV20THD | |
| | | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23.80 | VD-IOV50SHD |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$12.30 | VD-IOV10VHD |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14.80 | VD-IOV13MHD |
| | | | | | 2MP WDR | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IOV13AHD |
| | | | | | | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$25.80 | VD-IOV20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 | VD-IOV30AHD |
| | | | 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18.80 | VD-IOV40VHD |
| | | | | | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$23.50 | VD-IOV20FHD | |
| | | | 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$28.80 | VD-IOV20AHD | |
|  <p>◆ 4" Metal IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: 14 μ X24PCS, IR Range: 30M ◆ Deep base(600g) add \$4 ◆ 24PCS Per Carton ◆ Size: 135mm x 93mm ◆ Weight: 900g</p> | <p>◆ IR LED: \varnothing 5X36PCS, IR Range: 30M ◆ Deep base(600g) add \$4 ◆ 24PCS Per Carton ◆ Size: 131mm x 93mm ◆ Weight: 900g</p> | <p>Default: 2.8-12mm Manual Zoom Lens</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$17.30 | VD-IAV20PHDS | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$19.30 | VD-IAV20XHDS | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24.80 | VD-IAV20THDS | |
| | | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$25.80 | VD-IAV50SHDS |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14.30 | VD-IAV10VHDS |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 | VD-IAV13MHDS |
| | | | | | 2MP WDR | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17.50 | VD-IAV13AHDS |
| | | | | | | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$27.50 | VD-IAV20WHDS |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$19.30 | VD-IAV30AHDS |
| | | | 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$20.30 | VD-IAV40VHDS |
| | | | | | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$25.30 | VD-IAV20FHDS | |
| | | | 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$30.50 | VD-IAV20AHDS | |
|  <p>◆ 4" Metal IP66 IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: \varnothing 5X36PCS, IR Range: 30M ◆ Deep base(600g) add \$4 ◆ 24PCS Per Carton ◆ Size: 131mm x 93mm ◆ Weight: 900g</p> | <p>◆ IR LED: \varnothing 5X36PCS, IR Range: 30M ◆ Deep base(600g) add \$4 ◆ 24PCS Per Carton ◆ Size: 131mm x 93mm ◆ Weight: 900g</p> | <p>Default: 2.8-12mm Manual Zoom Lens</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$17.30 | VD-IAV20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$19.30 | VD-IAV20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24.80 | VD-IAV20THD | |
| | | | AHD | 960P | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$25.80 | VD-IAV50SHD |
| | | | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14.30 | VD-IAV10VHD |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 | VD-IAV13MHD |
| | | | | | 2MP WDR | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17.50 | VD-IAV13AHD |
| | | | | | | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$27.50 | VD-IAV20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$19.30 | VD-IAV30AHD |
| | | | 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$20.30 | VD-IAV40VHD |
| | | | | | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$25.30 | VD-IAV20FHD | |
| | | | 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$30.50 | VD-IAV20AHD | |

| | | | | | | | | |
|---|--|-------------------------|---|--|---|--|--------------|--------------|
|  <ul style="list-style-type: none"> ◆ 4" Metal IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: 14 μ X24PCS, IR Range: 30M ◆ Deep base(600g) add \$4 ◆ 24PCS Per Carton ◆ Size: 135mm x 93mm ◆ Weight: 900g | <p>Default: 2.8-12mm Manual Zoom Lens</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$17.30 | VD-IBV20PHDS | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$19.30 | VD-IBV20XHDS | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24.80 | VD-IBV20THDS | |
| | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$25.80 | VD-IBV50SHDS | | |
| | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14.30 | VD-IBV10VHDS | |
| | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 | VD-IBV13MHDS | |
| | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17.50 | VD-IBV13AHDS | |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$27.50 | VD-IBV20WHDS |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$19.30 | VD-IBV30AHDS |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$20.30 | VD-IBV40VHDS |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$25.30 | VD-IBV20FHDS | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$30.50 | VD-IBV20AHDS | | | |

| | | | | | | | | |
|--|--|-------------------------|---|--|---|--|-------------|-------------|
|  <ul style="list-style-type: none"> ◆ 4" Vandalproof IP66 IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: \varnothing 5X36pcs, IR Range: 30M ◆ Deep base(600g) add \$4 ◆ 24PCS Per Carton ◆ Size: 131mm x 93mm ◆ Weight: 900g | <p>Default: 2.8-12mm Manual Zoom Lens</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$17.30 | VD-IBV20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$19.30 | VD-IBV20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24.80 | VD-IBV20THD | |
| | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$25.80 | VD-IBV50SHD | | |
| | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14.30 | VD-IBV10VHD | |
| | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 | VD-IBV13MHD | |
| | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$17.50 | VD-IBV13AHD | |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$27.50 | VD-IBV20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$19.30 | VD-IBV30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$20.30 | VD-IBV40VHD |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$25.30 | VD-IBV20FHD | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$30.50 | VD-IBV20AHD | | | |

| | | | | | | | | |
|--|--|-------------------------|---|--|---|--|-------------|-------------|
|  <ul style="list-style-type: none"> ◆ 5" 3-Axis Metal IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: \varnothing 5X36pcs, IR Range: 30M ◆ Cable built-in design, easy install ◆ Bracket(600g) add \$4 ◆ 18PCS Per Carton ◆ Size: 149mm x 99mm ◆ Weight: 1kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$27 | VD-IEV20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$29 | VD-IEV20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$34 | VD-IEV20THD | |
| | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$35 | VD-IEV50SHD | | |
| | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$24 | VD-IEV10VHD | |
| | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$26 | VD-IEV13MHD | |
| | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$27 | VD-IEV13AHD | |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$37 | VD-IEV20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$28 | VD-IEV30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$30 | VD-IEV40VHD |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$34 | VD-IEV20FHD | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$40 | VD-IEV20AHD | | | |

| | | | | | | | | |
|--|--|-------------------------|---|--|---|--|------------|------------|
|  <ul style="list-style-type: none"> ◆ 4.5" Metal IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: \varnothing 5X36pcs, IR Range: 30M ◆ 27PCS Per Carton ◆ Size: 135mm x 93mm ◆ Weight: 900g | <p>Default: 2.8-12mm Manual Zoom Lens</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$18.30 | VD-IV20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$20.30 | VD-IV20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$26.30 | VD-IV20THD | |
| | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$26.80 | VD-IV50SHD | | |
| | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IV10VHD | |
| | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$18.30 | VD-IV13MHD | |
| | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18.50 | VD-IV13AHD | |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$28.50 | VD-IV20WHD |
| | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$20.30 | VD-IV30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$21.80 | VD-IV40VHD |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$26.30 | VD-IV20FHD | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$31.50 | VD-IV20AHD | | | |






| | | | | | | | | | | |
|---|--|--------------------------------|---|-----------------------|---|--|--|--|--------------|--------------|
| <ul style="list-style-type: none"> ◆ 4.5" Metal IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: 14 x X24PCS, IR Range: 30M ◆ 27PCS Per Carton ◆ Size: 135mm x 93mm ◆ Weight: 900g | <p>Default: 2.8-12mm Manual Zoom Lens</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$18.30 | VD-IKV20PHDS | | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$20.30 | VD-IKV20XHDS | | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$26.30 | VD-IKV20THDS | | | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$26.80 | VD-IKV50SHDS | | |
| | | | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IKV10VHDS | |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$18.30 | VD-IKV13MHDS | |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18.50 | VD-IKV13AHDS | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$28.50 | VD-IKV20WHDS |
| | | | | AHD | 960P | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$20.30 | VD-IKV30AHDS |
| | | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$21.80 | VD-IKV40VHDS |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | | | \$26.30 | VD-IKV20FHDS | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$31.50 | VD-IKV20AHDS | | | | | |


| | | | | | | | | | | |
|---|--|--------------------------------|---|-----------------------|---|--|--|--|-------------|-------------|
| <ul style="list-style-type: none"> ◆ 4.5" Metal IR Dome Camera ◆ Water Resistance: IP65 ◆ IR LED: 5X36pcs, IR Range: 30M ◆ 27PCS Per Carton ◆ Size: 135mm x 93mm ◆ Weight: 900g | <p>Default: 2.8-12mm Manual Zoom Lens</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$18.30 | VD-IKV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$20.30 | VD-IKV20XHD | | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$26.30 | VD-IKV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$26.80 | VD-IKV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VD-IKV10VHD | |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$18.30 | VD-IKV13MHD | |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$18.50 | VD-IKV13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$28.50 | VD-IKV20WHD |
| | | | | AHD | 960P | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$20.30 | VD-IKV30AHD |
| | | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$21.80 | VD-IKV40VHD |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | | | \$26.30 | VD-IKV20FHD | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$31.50 | VD-IKV20AHD | | | | | |


| | | | | | | | | | | |
|--|--|--------------------------------|---|-----------------------|---|--|--|--|-------------|-------------|
| <ul style="list-style-type: none"> ◆ 5" Metal IR Dome Camera ◆ Water Resistance: IP66 ◆ 3-Axis Bracket Built-in ◆ IR LED: 5X36pcs, IR Range: 25M ◆ 27PCS Per Carton ◆ Size: 135mm x 110mm ◆ Weight: 2.4kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$27 | VD-IFV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$29 | VD-IFV20XHD | | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$35 | VD-IFV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$36 | VD-IFV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$24 | VD-IFV10VHD | |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$27 | VD-IFV13MHD | |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$28 | VD-IFV13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$37 | VD-IFV20WHD |
| | | | | AHD | 960P | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$29 | VD-IFV30AHD |
| | | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$30 | VD-IFV40VHD |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | | | \$35 | VD-IFV20FHD | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$40 | VD-IFV20AHD | | | | | |


III HD Waterproof IR Fixed lens Bullet Camera (AHD, CVI, TVI)


| Product Image | Specification | Chipset Specifications | Price(USD/unit) | | Model No. | | | | | |
|--|--|--------------------------------|-----------------|-----------------------|---|--|--|--|------------|------------|
| | | | Sample | | | | | | | |
| <ul style="list-style-type: none"> ◆ Waterproof Plastic IR Bullet Camera ◆ IR LED: 5X24pcs, IR Range: 20M ◆ Water Resistance: IP66 ◆ 3-Axis Cable Built-in Bracket ◆ 60PCS Per Carton ◆ Size: 86mm x 60mm x 55mm ◆ Weight: 580g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$10.30 | VW-AB20PHD | | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11.80 | VW-AB20XHD | | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$17.80 | VW-AB20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$18.30 | VW-AB50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$7.30 | VW-AB10VHD | |
| | | | | | | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10.30 | VW-AB13MHD | |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$10.50 | VW-AB13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3S) | \$20.50 | VW-AB20WHD |
| | | | | AHD | 960P | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$12.30 | VW-AB30AHD |
| | | | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3S), OSD Optional (0.5S) | \$13.50 | VW-AB40VHD |


| | | | | | | | | |
|--|---|---|--------------|---|---|---|--------------------|--------------------|
|  <p> Waterproof Plastic IR Bullet Camera IR LED: \odot 5X24pcs, IR Range: 20M Water Resistance: IP66 3-Axis Cable Built-in Bracket 60PCS Per Carton Size: 86mm x 60mm x 55mm Weight: 580g </p> | <p> Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) </p> | <p> 4 IN 1 TVI CVI AHD CVBS </p> | <p>1080P</p> | <p>F22 + FH8536E</p> <p> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$11.80</p> | <p>VW-AAB20PHD</p> | | |
| | | | | <p>SONY IMX323 + FH8536E</p> <p> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$13.30</p> | <p>VW-AAB20XHD</p> | | |
| | | | | <p>SONY IMX291+FH8550D</p> <p> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$19.30</p> | <p>VW-AAB20THD</p> | | |
| | | | <p>AHD</p> | <p>5MP</p> | <p>IMX326 + FH8538M</p> <p> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$19.80</p> | <p>VW-AAB50SHD</p> | |
| | | | | | <p>720P</p> | <p>OV9732+NVP2433</p> <p> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$8.50</p> | <p>VW-AAB10VHD</p> |
| | | | | | <p>960P</p> | <p>MN339+NVP2431H</p> <p> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$11.50</p> | <p>VW-AAB13MHD</p> |
| | | | | <p>2MP WDR</p> | <p>APTINA 0130+NVP2431H</p> <p> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$11.80</p> | <p>VW-AAB13AHD</p> | |
| | | | | | <p>SONY IMX290+ NVP2450</p> <p> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) </p> | <p>\$21.80</p> | <p>VW-AAB20WHD</p> | |
| | | | | | <p>AR0330 + NVP2470H</p> <p> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$13.50</p> | <p>VW-AAB30AHD</p> | |
| | | | | | <p>4MP</p> | <p>OV4689+NVP2475</p> <p> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$14.80</p> | <p>VW-AAB40VHD</p> |
|  <p> Waterproof IR Bullet Camera IR LED: \odot 5X24pcs, IR Range: 20M Water Resistance: IP66 3-Axis Cable Built-in Bracket 60PCS Per Carton Size: 200mm x 69mm x 73mm Weight: 580g </p> | <p> Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) </p> | <p> 4 IN 1 TVI CVI AHD CVBS </p> | <p>1080P</p> | <p>F22 + FH8536E</p> <p> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$12.80</p> | <p>VW-YB20PHD</p> | | |
| | | | | <p>SONY IMX323 + FH8536E</p> <p> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$14.30</p> | <p>VW-YB20XHD</p> | | |
| | | | | <p>SONY IMX291+FH8550D</p> <p> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$20.30</p> | <p>VW-YB20THD</p> | | |
| | | | <p>AHD</p> | <p>5MP</p> | <p>IMX326 + FH8538M</p> <p> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$20.80</p> | <p>VW-YB50SHD</p> | |
| | | | | | <p>720P</p> | <p>OV9732+NVP2433</p> <p> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$9.50</p> | <p>VW-YB10VHD</p> |
| | | | | | <p>960P</p> | <p>MN339+NVP2431H</p> <p> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$12.50</p> | <p>VW-YB13MHD</p> |
| | | | | <p>2MP WDR</p> | <p>APTINA 0130+NVP2431H</p> <p> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$12.80</p> | <p>VW-YB13AHD</p> | |
| | | | | | <p>SONY IMX290+ NVP2450</p> <p> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) </p> | <p>\$22.80</p> | <p>VW-YB20WHD</p> | |
| | | | | | <p>AR0330 + NVP2470H</p> <p> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$14.50</p> | <p>VW-YB30AHD</p> | |
| | | | | | <p>4MP</p> | <p>OV4689+NVP2475</p> <p> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$15.80</p> | <p>VW-YB40VHD</p> |
|  <p> Waterproof IR Bullet Camera IR LED: \odot 5X24pcs, IR Range: 20M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 580g </p> | <p> Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) </p> | <p> 4 IN 1 TVI CVI AHD CVBS </p> | <p>1080P</p> | <p>F22 + FH8536E</p> <p> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$11.80</p> | <p>VW-BB20PHD</p> | | |
| | | | | <p>SONY IMX323 + FH8536E</p> <p> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$13.50</p> | <p>VW-BB20XHD</p> | | |
| | | | | <p>SONY IMX291+FH8550D</p> <p> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$19.50</p> | <p>VW-BB20THD</p> | | |
| | | | <p>AHD</p> | <p>5MP</p> | <p>IMX326 + FH8538M</p> <p> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$19.80</p> | <p>VW-BB50SHD</p> | |
| | | | | | <p>720P</p> | <p>OV9732+NVP2433</p> <p> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$8.80</p> | <p>VW-BB10VHD</p> |
| | | | | | <p>960P</p> | <p>MN339+NVP2431H</p> <p> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$11.80</p> | <p>VW-BB13MHD</p> |
| | | | | <p>2MP WDR</p> | <p>APTINA 0130+NVP2431H</p> <p> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$12.30</p> | <p>VW-BB13AHD</p> | |
| | | | | | <p>SONY IMX290+ NVP2450</p> <p> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) </p> | <p>\$22.30</p> | <p>VW-BB20WHD</p> | |
| | | | | | <p>AR0330 + NVP2470H</p> <p> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$13.80</p> | <p>VW-BB30AHD</p> | |
| | | | | | <p>4MP</p> | <p>OV4689+NVP2475</p> <p> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$14.80</p> | <p>VW-BB40VHD</p> |
|  <p> Waterproof IR Bullet Camera IR LED: \odot 5X24pcs, IR Range: 20M Water Resistance: IP67 3-Axis Cable Built-in Bracket 60PCS Per Carton Size: 86mm x 60mm x 55mm Weight: 600g </p> | <p> Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) </p> | <p> 4 IN 1 TVI CVI AHD CVBS </p> | <p>1080P</p> | <p>F22 + FH8536E</p> <p> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$12.30</p> | <p>VW-ABB20PHD</p> | | |
| | | | | <p>SONY IMX323 + FH8536E</p> <p> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$13.80</p> | <p>VW-ABB20XHD</p> | | |
| | | | | <p>SONY IMX291+FH8550D</p> <p> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$19.80</p> | <p>VW-ABB20THD</p> | | |
| | | | <p>AHD</p> | <p>5MP</p> | <p>IMX326 + FH8538M</p> <p> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$20.30</p> | <p>VW-BB50SHD</p> | |
| | | | | | <p>720P</p> | <p>OV9732+NVP2433</p> <p> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$9.30</p> | <p>VW-ABB10VHD</p> |
| | | | | | <p>960P</p> | <p>MN339+NVP2431H</p> <p> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$12.30</p> | <p>VW-ABB13MHD</p> |
| | | | | <p>2MP WDR</p> | <p>APTINA 0130+NVP2431H</p> <p> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$12.80</p> | <p>VW-ABB13AHD</p> | |
| | | | | | <p>SONY IMX290+ NVP2450</p> <p> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) </p> | <p>\$22.80</p> | <p>VW-ABB20WHD</p> | |
| | | | | | <p>AR0330 + NVP2470H</p> <p> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$14.30</p> | <p>VW-ABB30AHD</p> | |
| | | | | | <p>4MP</p> | <p>OV4689+NVP2475</p> <p> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$15.30</p> | <p>VW-ABB40VHD</p> |
|  <p> Waterproof IR Bullet Camera IR LED: \odot 5X24pcs, IR Range: 20M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 580g </p> | <p> Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) </p> | <p> 4 IN 1 TVI CVI AHD CVBS </p> | <p>1080P</p> | <p>F22 + FH8536E</p> <p> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$11.80</p> | <p>VW-FB20PHD</p> | | |
| | | | | <p>SONY IMX323 + FH8536E</p> <p> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out </p> | <p>\$13.50</p> | <p>VW-FB20XHD</p> | | |
| | | | | <p>SONY IMX291+FH8550D</p> <p> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$19.50</p> | <p>VW-FB20THD</p> | | |
| | | | <p>AHD</p> | <p>5MP</p> | <p>IMX326 + FH8538M</p> <p> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) </p> | <p>\$19.80</p> | <p>VW-FB50SHD</p> | |
| | | | | | <p>720P</p> | <p>OV9732+NVP2433</p> <p> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$8.80</p> | <p>VW-FB10VHD</p> |
| | | | | | <p>960P</p> | <p>MN339+NVP2431H</p> <p> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$11.80</p> | <p>VW-FB13MHD</p> |
| | | | | <p>2MP WDR</p> | <p>APTINA 0130+NVP2431H</p> <p> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$12.30</p> | <p>VW-FB13AHD</p> | |
| | | | | | <p>SONY IMX290+ NVP2450</p> <p> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) </p> | <p>\$22.30</p> | <p>VW-FB20WHD</p> | |
| | | | | | <p>AR0330 + NVP2470H</p> <p> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$13.80</p> | <p>VW-FB30AHD</p> | |
| | | | | | <p>4MP</p> | <p>OV4689+NVP2475</p> <p> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) </p> | <p>\$14.80</p> | <p>VW-FB40VHD</p> |



| | | | | | | | | |
|--|--|-------------------------------------|-------|-----------------------|---|--|--|-------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 5X30pcs, IR Range: 25M Water Resistance: IP66 3-Axis Cable Built-in Bracket 60PCS Per Carton Size: 92mm x 62mm x 58mm Weight: 650g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$12.80 | VW-ACB20PHD | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14.80 | VW-ACB20XHD | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$20.80 | VW-ACB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$21.30 | VW-ACB50SHD | |
| | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$9.80 | VW-ACB10VHD |
| | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$12.80 | VW-ACB13MHD |
| | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$13.30 | VW-ACB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$23.30 | VW-ACB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$14.80 |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16.30 | VW-ACB40VHD |



| | | | | | | | | |
|---|--|-------------------------------------|-------|-----------------------|---|--|--|-------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 5X36pcs, IR Range: 30M Water Resistance: IP67 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 900g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14.30 | VW-ADB20PHD | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$16.30 | VW-ADB20XHD | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.30 | VW-ADB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.80 | VW-ADB50SHD | |
| | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10.80 | VW-ADB10VHD |
| | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13.80 | VW-ADB13MHD |
| | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$14.50 | VW-ADB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$24.80 | VW-ADB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$15.80 |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17.80 | VW-ADB40VHD |



| | | | | | | | | |
|--|--|-------------------------------------|-------|-----------------------|---|--|--|-------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 3 pcs IR Leds, IR Range: 30M Water Resistance: IP67 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 75mm x 75mm Weight: 950g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$15.80 | VW-AGB20PHD | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$17.80 | VW-AGB20XHD | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23.80 | VW-AGB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24.30 | VW-AGB50SHD | |
| | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$12.30 | VW-AGB10VHD |
| | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$15.30 | VW-AGB13MHD |
| | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16.00 | VW-AGB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$26.30 | VW-AGB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17.30 |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$19.30 | VW-AGB40VHD |



| | | | | | | | | |
|---|--|-------------------------------------|-------|-----------------------|---|--|--|------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 5X24pcs, IR Range: 20M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 580g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14.60 | VW-CB20PHD | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$16.60 | VW-CB20XHD | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.60 | VW-CB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22.80 | VW-CB50SHD | |
| | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11.30 | VW-CB10VHD |
| | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14.30 | VW-CB13MHD |
| | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$14.80 | VW-CB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$25.30 | VW-CB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16.30 |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17.80 | VW-CB40VHD |



| | | | | | | | | |
|---|--|-------------------------------------|-------|-----------------------|---|--|--|------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 5X24pcs, IR Range: 20M Water Resistance: IP67 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 600g | <p>Default: Board Lens 3.6mm</p> <p>Optional: 2.8/6/8mm Optional(add\$0.5)</p> | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VW-DB20PHD | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$16 | VW-DB20XHD | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$21 | VW-DB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VW-DB50SHD | |
| | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10 | VW-DB10VHD |
| | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VW-DB13MHD |
| | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VW-DB13AHD |
| | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$24 | VW-DB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$15 |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VW-DB40VHD |











| | | | | | | | | | |
|---|--|--|--------------------------------|--------------|-----------------------|---|--|---|------------|
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: \odot 5X30pcs, IR Range: 25M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 600g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VW-IB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$16 | VW-IB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VW-IB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23 | VW-IB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VW-IB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$15 | VW-IB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$25 | VW-IB20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16 |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VW-IB40VHD |


| | | | | | | | | | |
|---|--|--|--------------------------------|--------------|-----------------------|---|--|---|------------|
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: \odot 5X24pcs, IR Range: 20M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 580g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$13 | VW-EB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$15 | VW-EB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VW-EB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23 | VW-EB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VW-EB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$15 | VW-EB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$24 | VW-EB20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16 |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VW-EB40VHD |

| | | | | | | | | | |
|--|--|--|--------------------------------|--------------|-----------------------|---|--|---|-------------|
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: \odot 5X36pcs, IR Range: 30M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 185mm x 70mm x 55mm Weight: 650g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VW-AEB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$16 | VW-AEB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23 | VW-AEB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24 | VW-AEB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$12 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VW-AEB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16 | VW-AEB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$25 | VW-AEB20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17 |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VW-AEB40VHD |


| | | | | | | | | | |
|---|---|--|--------------------------------|--------------|-----------------------|---|--|---|------------|
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: \odot 5X30pcs, IR Range: 25M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 92mm x 62mm x 58mm Weight: 600g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$13 | VW-GB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$15 | VW-GB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VW-GB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VW-GB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VW-GB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VW-GB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$24 | VW-GB20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16 |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VW-GB40VHD |


| | | | | | | | | | |
|---|--|--|--------------------------------|--------------|-----------------------|---|--|---|-------------|
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: \odot 5X36pcs, IR Range: 30M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 185mm x 75mm x 55mm Weight: 700g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VW-AFB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$16 | VW-AFB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23 | VW-AFB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$24 | VW-AFB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$12 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VW-AFB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16 | VW-AFB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$25 | VW-AFB20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17 |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VW-AFB40VHD |

| | | | | | | | | | |
|---|---|--|--------------------------------|--------------|-----------------------|---|--|---|------------|
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 3pcs, IR Range: 25M Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 600g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$13 | VW-HB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$15 | VW-HB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VW-HB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VW-HB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$11 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VW-HB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VW-HB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$24 | VW-HB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16 | VW-HB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VW-HB40VHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 6pcs, IR Range: 30M Obscured glass, hidden IR Led Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 60mm x 55mm Weight: 700g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VW-JB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$16 | VW-JB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23 | VW-JB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$23 | VW-JB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$12 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VW-JB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$16 | VW-JB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$25 | VW-JB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VW-JB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VW-JB40VHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 2 pcs IR-III Leds, IR Range: 40M Bracket Optional (add \$2) Water Resistance: IP66 24PCS Per Carton Size: 160mm x 100mm x 110mm Weight: 900g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VW-PB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$15 | VW-PB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$21 | VW-PB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$22 | VW-PB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$10 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$13 | VW-PB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$14 | VW-PB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$24 | VW-PB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$15 | VW-PB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VW-PB40VHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 4 pcs IR-III Leds, IR Range: 80M Bracket Optional (add \$2) Water Resistance: IP66 40PCS Per Carton Size: 190mm x 90mm x 80mm Weight: 900g | Default: Board Lens 3.6mm Optional: 2.8/6/8mm Optional(add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$18 | VW-NB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$19 | VW-NB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$26 | VW-NB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$27 | VW-NB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$15 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VW-NB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$19 | VW-NB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$29 | VW-NB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$20 | VW-NB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$22 | VW-NB40VHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 2 pcs IR-III Leds, IR Range: 40M Water Resistance: IP66 24PCS Per Carton Size: 220mm x 90mm x 110mm Weight: 1500g | Default: CS Lens 12mm Optional: 4/6/8mm | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$25 | VW-SB20PHD | |
| | | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$27 | VW-SB20XHD | |
| | | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$33 | VW-SB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$34 | VW-SB50SHD |
| | | | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$22 |
| | | | | | 960P | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$25 | VW-SB13MHD |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$26 | VW-SB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$36 | VW-SB20WHD |
| | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$27 | VW-SB30AHD |
| | | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$29 | VW-SB40VHD |

| | | | | | | | | |
|--|--|--|-------|-----------------------|--|--|--|------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera IR LED: 2 pcs IR-III Leds, IR Range: 40M Bracket Optional (add \$2) Water Resistance: IP66 24PCS Per Carton Size: 212mm x 93mm x 110mm Weight: 1.9kg | <p>Default: CS Lens 4mm</p> <p>Optional: 6/8/12/16/25mm Optional(add\$1)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3\$) OSD Menu change TVI/CVI/AHD/CVBS Out | \$17 | VW-QB20PHD | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3\$) OSD Menu change TVI/CVI/AHD/CVBS Out | \$18 | VW-QB20XHD | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$24 | VW-QB20THD | |
| | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$25 | VW-QB50SHD |
| | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$14 | VW-QB10VHD |
| | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$16 | VW-QB13MHD |
| | | | | 960P | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$17 | VW-QB13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3\$) | \$27 |
| | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$18 | VW-QB30AHD |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$20 | VW-QB40VHD |

IV HD Waterproof IR Varifocal Lens Bullet Camera (AHD, CVI, TVI, 4 in 1)

| Product Image | Specification | Lens | Chipset Specifications | | | Price(USD/unit) | Model No. | |
|--|--|--|--|-----------------------|--|--|--|-------------|
| | | | | | | Sample | | |
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: 14 u X24PCS, IR Range: 40M 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1.7kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3\$) OSD Menu change TVI/CVI/AHD/CVBS Out | \$18.80 | VW-AV20PHDS | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3\$) OSD Menu change TVI/CVI/AHD/CVBS Out | \$20.80 | VW-AV20XHDS | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$26.30 | VW-AV20THDS | |
| | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$27.30 | VW-AV50SHDS |
| | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$15.80 | VW-AV10VHDS |
| | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$18.50 | VW-AV13MHDS |
| | | | | 960P | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$18.80 | VW-AV13AHDS |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3\$) | \$28.80 |
| | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$20.50 | VW-AV30AHDS |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$21.80 | VW-AV40VHDS |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$26.80 | VW-AV20FHDS | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3\$) | \$31.80 | VW-AV20AHDS | | | |

| | | | | | | | | |
|---|--|--|--|-----------------------|--|--|--|------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: 5X42pcs, IR Range: 40M Water Resistance: IP66 24PCS Per Carton Size: 200mm x 171mm x 83mm Weight: 1.7kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | 1080P | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3\$) OSD Menu change TVI/CVI/AHD/CVBS Out | \$18.80 | VW-AV20PHD | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3\$) OSD Menu change TVI/CVI/AHD/CVBS Out | \$20.80 | VW-AV20XHD | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$26.30 | VW-AV20THD | |
| | | | AHD | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$27.30 | VW-AV50SHD |
| | | | | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$15.80 | VW-AV10VHD |
| | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$18.50 | VW-AV13MHD |
| | | | | 960P | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$18.80 | VW-AV13AHD |
| | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3\$) | \$28.80 |
| | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$20.50 | VW-AV30AHD |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3\$), OSD Optional (0.5\$) | \$21.80 | VW-AV40VHD |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$26.80 | VW-AV20FHD | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3\$) | \$31.80 | VW-AV20AHD | | | |



- Waterproof IR Bullet Camera
- 3-Axis Bracket Built-in
- IR LED: 14 x X30PCS, IR Range: 60M
- 16PCS Per Carton
- Size: 240mm x 186mm x 100mm
- Weight: 1.9Kg

| | | | | | | | | |
|---------------------------------------|--|-------------------------|---|--|---|--|-------------|-------------|
| Default: 2.8-12mm Manual Zoom Lens | Optional: 8-20mm Manual Zoom Lens (add \$3) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$20.80 | VW-BV20PHDS | |
| | | | | SONY IMX323 + FH8536E | 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$22.80 | VW-BV20XHDS | |
| | | | | SONY IMX291+FH8550D | 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$28.30 | VW-BV20THDS | |
| | | | 5MP | IMX326 + FH8538M | 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$29.30 | VW-BV50SHDS | |
| | | | AHD | 720P | OV9732+NVP2433 | 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$17.80 | VW-BV10VHDS |
| | | | | 960P | MN339+NVP2431H | 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$20.50 | VW-BV13MHDS |
| | | APTINA 0130+NVP2431H | | | 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$20.80 | VW-BV13AHDS | |
| | | 2MP WDR | | SONY IMX290+ NVP2450 | 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$30.80 | VW-BV20WHDS | |
| | | 3MP | AR0330 + NVP2470H | 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$22.50 | VW-BV30AHDS | | |
| | | 4MP | OV4689+NVP2475 | 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$23.80 | VW-BV40VHDS | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$28.80 | VW-BV20FHDS | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$33.80 | VW-BV20AHDS | | | |



- Waterproof IR Bullet Camera
- 3-Axis Bracket Built-in
- IR LED: 5X42pcs, IR Range: 60M
- Water Resistance: IP66
- 16PCS Per Carton
- Size: 240mm x 186mm x 100mm
- Weight: 1.9Kg

| | | | | | | | | |
|---------------------------------------|--|-------------------------|---|--|---|--|------------|------------|
| Default: 2.8-12mm Manual Zoom Lens | Optional: 8-20mm Manual Zoom Lens (add \$3) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$20.80 | VW-BV20PHD | |
| | | | | SONY IMX323 + FH8536E | 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$22.80 | VW-BV20XHD | |
| | | | | SONY IMX291+FH8550D | 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$28.30 | VW-BV20THD | |
| | | | 5MP | IMX326 + FH8538M | 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$29.30 | VW-BV50SHD | |
| | | | AHD | 720P | OV9732+NVP2433 | 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$17.80 | VW-BV10VHD |
| | | | | 960P | MN339+NVP2431H | 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$20.50 | VW-BV13MHD |
| | | APTINA 0130+NVP2431H | | | 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$20.80 | VW-BV13AHD | |
| | | 2MP WDR | | SONY IMX290+ NVP2450 | 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$30.80 | VW-BV20WHD | |
| | | 3MP | AR0330 + NVP2470H | 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$22.50 | VW-BV30AHD | | |
| | | 4MP | OV4689+NVP2475 | 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$23.80 | VW-BV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$28.80 | VW-BV20FHD | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$33.80 | VW-BV20AHD | | | |



- Waterproof IR Bullet Camera
- 3-Axis Bracket Built-in
- IR LED: 5X42pcs, IR Range: 60M
- Water Resistance: IP67
- 30PCS Per Carton
- Size: 228mm x 97mm x 82mm
- Weight: 1.5Kg


| | | | | | | | | |
|---------------------------------------|--|-------------------------|---|--|---|--|-------------|-------------|
| Default: 2.8-12mm Manual Zoom Lens | Optional: 8-20mm Manual Zoom Lens (add \$3) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$21.30 | VW-AAV20PHD | |
| | | | | SONY IMX323 + FH8536E | 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$23.30 | VW-AAV20XHD | |
| | | | | SONY IMX291+FH8550D | 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$29.30 | VW-AAV20THD | |
| | | | 5MP | IMX326 + FH8538M | 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$29.80 | VW-AAV50SHD | |
| | | | AHD | 720P | OV9732+NVP2433 | 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$18.30 | VW-AAV10VHD |
| | | | | 960P | MN339+NVP2431H | 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$20.80 | VW-AAV13MHD |
| | | APTINA 0130+NVP2431H | | | 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$21.30 | VW-AAV13AHD | |
| | | 2MP WDR | | SONY IMX290+ NVP2450 | 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$31.30 | VW-AAV20WHD | |
| | | 3MP | AR0330 + NVP2470H | 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$23.30 | VW-AAV30AHD | | |
| | | 4MP | OV4689+NVP2475 | 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$24.50 | VW-AAV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$29.30 | VW-AAV20FHD | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$34.30 | VW-AAV20AHD | | | |





- Waterproof IR Bullet Camera
- 3-Axis Bracket Built-in
- IR LED: 6 pcs IR Leds, IR Range: 60M
- Water Resistance: IP67
- 30PCS Per Carton
- Size: 228mm x 97mm x 82mm
- Weight: 1.7Kg


| | | | | | | | | |
|---------------------------------------|--|-------------------------|---|--|---|--|-------------|-------------|
| Default: 2.8-12mm Manual Zoom Lens | Optional: 8-20mm Manual Zoom Lens (add \$3) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$24.30 | VW-ABV20PHD | |
| | | | | SONY IMX323 + FH8536E | 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$26.30 | VW-ABV20XHD | |
| | | | | SONY IMX291+FH8550D | 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$32.30 | VW-ABV20THD | |
| | | | 5MP | IMX326 + FH8538M | 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$33.30 | VW-ABV50SHD | |
| | | | AHD | 720P | OV9732+NVP2433 | 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$21.30 | VW-ABV10VHD |
| | | | | 960P | MN339+NVP2431H | 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$23.80 | VW-ABV13MHD |
| | | APTINA 0130+NVP2431H | | | 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$24.30 | VW-ABV13AHD | |
| | | 2MP WDR | | SONY IMX290+ NVP2450 | 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$34.30 | VW-ABV20WHD | |
| | | 3MP | AR0330 + NVP2470H | 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$26.30 | VW-ABV30AHD | | |
| | | 4MP | OV4689+NVP2475 | 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$27.80 | VW-ABV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$32.30 | VW-ABV20FHD | | | |


| | | | | | | |
|--|-----------------------------|-----------------------|-----------------------|---|---------|-------------|
| | 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.35) | \$37.30 | VW-ABV20AHD |
|--|-----------------------------|-----------------------|-----------------------|---|---------|-------------|


| | | | | | | | | | | |
|---|--|--------------------------------|---|-----------------------|---|--|---|--|-------------|-------------|
|  <ul style="list-style-type: none"> ◆ Waterproof IR Bullet Camera ◆ 3-Axis Bracket Built-in ◆ IR LED: \varnothing 5X42pcs, IR Range: 40M ◆ Water Resistance: IP66 ◆ 24PCS Per Carton ◆ Size: Size: 228mm x 97mm x 82mm ◆ Weight: 1.7Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$22 | VW-ACV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$24 | VW-ACV20XHD | | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$29 | VW-ACV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$30 | VW-ACV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$19 | VW-ACV10VHD | |
| | | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$21 | VW-ACV13MHD |
| | | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$22 | VW-ACV13AHD |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.35) | \$32 | VW-ACV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$24 | VW-ACV30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$25 | VW-ACV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$30 | VW-ACV20FHD | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.35) | \$35 | VW-ACV20AHD | | | | | |


| | | | | | | | | | | |
|---|--|--------------------------------|---|-----------------------|---|--|---|--|-------------|-------------|
|  <ul style="list-style-type: none"> ◆ Waterproof IR Bullet Camera ◆ 3-Axis Bracket Built-in ◆ IR LED: \varnothing 5X42pcs, IR Range: 40M ◆ Water Resistance: IP66 ◆ 24PCS Per Carton ◆ Size: Size: 228mm x 97mm x 82mm ◆ Weight: 1.7Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$21 | VW-ADV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$23 | VW-ADV20XHD | | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$28 | VW-ADV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$29 | VW-ADV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$18 | VW-ADV10VHD | |
| | | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$20 | VW-ADV13MHD |
| | | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$21 | VW-ADV13AHD |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.35) | \$31 | VW-ADV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$23 | VW-ADV30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$24 | VW-ADV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$28 | VW-ADV20FHD | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.35) | \$34 | VW-ADV20AHD | | | | | |


| | | | | | | | | | | |
|---|--|--------------------------------|---|-----------------------|---|--|---|--|-------------|-------------|
|  <ul style="list-style-type: none"> ◆ Waterproof IR Bullet Camera ◆ 3-Axis Bracket Built-in ◆ IR LED: 14 μ X24PCS, IR Range: 40M ◆ 24PCS Per Carton ◆ Size: 228mm x 97mm x 82mm ◆ Weight: 1.7Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$19.50 | VW-FV20PHDS | | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$21.30 | VW-FV20XHDS | | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$27.30 | VW-FV20THDS | | | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$28.30 | VW-FV50SHDS | | |
| | | | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$16.50 | VW-FV10VHDS | |
| | | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$19.30 | VW-FV13MHDS |
| | | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$19.80 | VW-FV13AHDS |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.35) | \$29.80 | VW-FV20WHDS |
| | | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$21.30 | VW-FV30AHDS |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$22.80 | VW-FV40VHDS | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$27.80 | VW-FV20FHDS | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.35) | \$32.80 | VW-FV20AHDS | | | | | |



| | | | | | | | | | | |
|---|--|--------------------------------|---|-----------------------|---|--|---|--|------------|------------|
|  <ul style="list-style-type: none"> ◆ Waterproof IR Bullet Camera ◆ 3-Axis Bracket Built-in ◆ IR LED: \varnothing 5X42pcs, IR Range: 40M ◆ Water Resistance: IP66 ◆ 24PCS Per Carton ◆ Size: Size: 228mm x 97mm x 82mm ◆ Weight: 1.7Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$19.50 | VW-FV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$21.30 | VW-FV20XHD | | | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$27.30 | VW-FV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$28.30 | VW-FV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$16.50 | VW-FV10VHD | |
| | | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$19.30 | VW-FV13MHD |
| | | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$19.80 | VW-FV13AHD |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.35) | \$29.80 | VW-FV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$21.30 | VW-FV30AHD |
| | | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$22.80 | VW-FV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, ◆ UTC Change zoom & focus , IR-CUT | \$27.80 | VW-FV20FHD | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, ◆ OSD Change zoom & focus , IR-CUT, UTC Optional(0.35) | \$32.80 | VW-FV20AHD | | | | | |



| | | | | | | | | | | |
|--|--|--------------------------------|---|-----------------------|---|--|--|--|-------------|-------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: 14 x X30PCS, IR Range: 60M 16PCS Per Carton Size: 240mm x 186mm x 100mm Weight: 1.9kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$21.80 | VW-GV20PHDS | | | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$23.80 | VW-GV20XHDS | | | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$29.30 | VW-GV20THDS | | | |
| | | | | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$30.30 | VW-GV50SHDS | | |
| | | | | AHD | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$18.80 | VW-GV10VHDS | |
| | | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$21.50 | VW-GV13MHDS | |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$22.30 | VW-GV13AHDS | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$31.80 | VW-GV20WHDS |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$23.50 | VW-GV30AHDS |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$24.80 | VW-GV40VHDS | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$29.80 | VW-GV20FHDS | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$34.80 | VW-GV20AHDS | | | | | |



| | | | | | | | | | | |
|--|--|--------------------------------|---|-----------------------|---|--|--|--|------------|------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: 5X72pcs, IR Range: 60M Water Resistance: IP66 16PCS Per Carton Size: 295mm x 120mm x 103mm Weight: 1.9Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$21.80 | VW-GV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$23.80 | VW-GV20XHD | | | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$29.30 | VW-GV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$30.30 | VW-GV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$18.80 | VW-GV10VHD | |
| | | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$21.50 | VW-GV13MHD | |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$22.30 | VW-GV13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$31.80 | VW-GV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$23.50 | VW-GV30AHD |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$24.80 | VW-GV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$29.80 | VW-GV20FHD | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$34.80 | VW-GV20AHD | | | | | |

| | | | | | | | | | | |
|--|--|--------------------------------|---|-----------------------|---|--|--|--|------------|------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: 5X42pcs, IR Range: 40M Water Resistance: IP66 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1.7Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$19.50 | VW-IV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$21.30 | VW-IV20XHD | | | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$27.30 | VW-IV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$28.30 | VW-IV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$16.50 | VW-IV10VHD | |
| | | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$19.30 | VW-IV13MHD | |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$19.80 | VW-IV13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$29.80 | VW-IV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$21.30 | VW-IV30AHD |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$22.80 | VW-IV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$27.80 | VW-IV20FHD | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$32.80 | VW-IV20AHD | | | | | |





| | | | | | | | | | | |
|--|--|--------------------------------|---|-----------------------|---|--|--|--|------------|------------|
|  <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: 5X42pcs, IR Range: 40M Water Resistance: IP66 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1.7Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$20 | VW-IV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$22 | VW-IV20XHD | | | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$28 | VW-IV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$29 | VW-IV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$17 | VW-IV10VHD | |
| | | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$20 | VW-IV13MHD | |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$21 | VW-IV13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$30 | VW-IV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$22 | VW-IV30AHD |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$24 | VW-IV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$28 | VW-IV20FHD | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$33 | VW-IV20AHD | | | | | |

| | | | | | | | | | | |
|--|--|--------------------------------|---|-----------------------|---|--|--|--|-------------|-------------|
|   <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: \varnothing 5x42pcs, IR Range: 40M Water Resistance: IP66 24PCS Per Carton Size: 220mm x 80mm x 85mm Weight: 1.6Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$21 | VW-YAV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$23 | VW-YAV20XHD | | | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$29 | VW-YAV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$30 | VW-YAV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$18 | VW-YAV10VHD | |
| | | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$21 | VW-YAV13MHD | |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$22 | VW-YAV13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$31 | VW-YAV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$23 | VW-YAV30AHD |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$25 | VW-YAV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$29 | VW-YAV20FHD | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$34 | VW-YAV20AHD | | | | | |







| | | | | | | | | | | |
|--|--|--------------------------------|---|-----------------------|---|--|--|--|-------------|-------------|
|   <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: \varnothing 5x72pcs, IR Range: 60M Water Resistance: IP66 16PCS Per Carton Size: 265mm x 100mm x 95mm Weight: 1.8Kg | <p>Default: 2.8-12mm Manual Zoom Lens</p> <p>Optional: 8-20mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$23 | VW-ZAV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$25 | VW-ZAV20XHD | | | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$31 | VW-ZAV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$32 | VW-ZAV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$20 | VW-ZAV10VHD | |
| | | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$23 | VW-ZAV13MHD | |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$24 | VW-ZAV13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$33 | VW-ZAV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$25 | VW-ZAV30AHD |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$27 | VW-ZAV40VHD | | |
| 3MP 3.5-10mm motorized lens | AHD Auto zoom & Focus | AR0230 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC Change zoom & focus , IR-CUT | \$31 | VW-ZAV20FHD | | | | | |
| 3MP 2.8-12mm motorized lens | AHD Auto zoom & Focus | SONY IMX 323+NVP2441H | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, OSD Change zoom & focus , IR-CUT, UTC Optional(0.3S) | \$36 | VW-ZAV20AHD | | | | | |




| | | | | | | | | | | |
|---|--|--------------------------------|--------------|-----------------------|---|--|--|--|------------|------------|
|   <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in IR LED: \varnothing 42x4PCS , IR Range: 80M Water Resistance: IP66 16PCS Per Carton Size: 280mm x 112mm x 85mm Weight: 2.8Kg | <p>Default: 2.8-20mm Manual Zoom Lens</p> <p>Optional: 5-50mm Manual Zoom Lens (add \$3)</p> | <p>4 IN 1 TVI CVI AHD CVBS</p> | <p>1080P</p> | F22 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$26 | VW-PV20PHD | | | |
| | | | | SONY IMX323 + FH8536E | <ul style="list-style-type: none"> 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3S) OSD Menu change TVI/CVI/AHD/CVBS Out | \$29 | VW-PV20XHD | | | |
| | | | | SONY IMX291+FH8550D | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$35 | VW-PV20THD | | | |
| | | | | 5MP | IMX326 + FH8538M | <ul style="list-style-type: none"> 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3S) | \$36 | VW-PV50SHD | | |
| | | | | AHD | 720P | OV9732+NVP2433 | <ul style="list-style-type: none"> 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$23 | VW-PV10VHD | |
| | | | | | | MN339+NVP2431H | <ul style="list-style-type: none"> 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum IR-CUT, UTC Optional(0.3S), OSD Optional (0.5S) | \$26 | VW-PV13MHD | |
| | | | | | | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$26 | VW-PV13AHD | |
| | | | | | | 2MP WDR | SONY IMX290+ NVP2450 | <ul style="list-style-type: none"> 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum OSD, WDR, UTC Optional(0.3S) | \$37 | VW-PV20WHD |
| | | | | | | 3MP | AR0330 + NVP2470H | <ul style="list-style-type: none"> 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$28 | VW-PV30AHD |
| | | | | 4MP | OV4689+NVP2475 | <ul style="list-style-type: none"> 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT UTC Optional(0.3S), OSD Optional (0.5S) | \$30 | VW-PV40VHD | | |



V AHD Pan & Tilt IR Bullet Camera




| Product Image | Specification | Lens | Chipset Specifications | Price(USD/unit) | | Model No. | |
|--|--|------|------------------------|----------------------|--|-----------|------------|
| | | | | Sample | | | |
|   <ul style="list-style-type: none"> Waterproof IR Bullet Camera, IP66 IR LED: 2PCS IR-III LED, IR Range: 40M Pan Range: 0—350° Tilt Range: 0—60° Working Temperature: -10℃~+60℃ 12PCS Per Carton Size: 200 x 171 x 83mm Weight: 1500g | <p>Default: CS Lens 6MM (2M Pixels)</p> | AHD | 960P | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" CMOS Sensor 1.3 Mega 960P, Low illumination IR-CUT, DWDR, 3D NR, Sense-up, OSD, Mirror, BLC, MD, Privacy Mask | \$32 | VW-PTB13HD |
| | | | 1080P | SONY IMX323+NVP2441H | <ul style="list-style-type: none"> 1/3" CMOS Sensor 2.0 Mega 1080P, Low illumination IR-CUT, DWDR, 3D NR, Sense-up, OSD, Mirror, BLC, MD, Privacy Mask | \$40 | VW-PTB20HD |
|   <ul style="list-style-type: none"> Waterproof IR Bullet Camera, IP66 IR LED: 4PCS IR-III LED, IR Range: 60M Pan Range: 0—350° Tilt Range: 0—60° Working Temperature: -10℃~+60℃ 12PCS Per Carton Size: 200 x 171 x 83mm Weight: 1500g | <p>Default: 2.8-12mm Auto Focus Lens(4X)</p> <p>Optional: 5-50mm Auto Focus Lens(10X) add \$35</p> | AHD | 960P | APTINA 0130+NVP2431H | <ul style="list-style-type: none"> 1/3" CMOS Sensor 1.3 Mega 960P, Low illumination IR-CUT, DWDR, 3D NR, Sense-up, OSD, Mirror, BLC, MD, Privacy Mask | \$42 | VW-PTV13HD |
| | | | 1080P | SONY IMX323+NVP2441H | <ul style="list-style-type: none"> 1/3" CMOS Sensor 2.0 Mega 1080P, Low illumination IR-CUT, DWDR, 3D NR, Sense-up, OSD, Mirror, BLC, MD, Privacy Mask | \$54 | VW-PTV20HD |

VI Mini & Spy AHD Camera





| Product Image | Specification | Lens | Chipset Specifications | | | | Price(USD/unit) | Model No. |
|--|---|--|--|-----------------------|--|---|-----------------|------------|
| | | | | | | | Sample | |
|  <ul style="list-style-type: none"> ◆ Bullet Spy camera ◆ 160PCS Per Carton ◆ Size: 20mm x 62mm ◆ Weight: 230g | 3.6mm Board Lens | AHD | 960P | SONY IMX 225+2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT | \$19 | VM-CB13HD | |
| | | | 1080p | IMX322 + NVP2441H | 1/3" 1080P(2.4MP) CMOS Sensor, IR-CUT Low Illumination, DWDR, 3D NR, Sense-up | \$20 | VM-CB20HD | |
|  <ul style="list-style-type: none"> ◆ Bullet Spy camera ◆ 160PCS Per Carton ◆ Size: 20mm x 62mm ◆ Weight: 230g | 3.7mm Taper Pinhole Lens | AHD | 960P | SONY IMX 225+2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT | \$21 | VM-DP13HD | |
| | | | 1080p | IMX322 + NVP2441H | 1/3" 1080P(2.4MP) CMOS Sensor, IR-CUT Low Illumination, DWDR, 3D NR, Sense-up | \$22 | VM-DP20HD | |
|  <ul style="list-style-type: none"> ◆ Mini Spy camera ◆ 160PCS Per Carton ◆ Size: 35mm x 10mm x 35mm ◆ Weight: 250g | 3.7mm Taper Pinhole Lens | 4 IN 1 TVI CVI AHD CVBS | 1080P | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, IR-CUT ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$16 | VM-BP20XHD | |
| | | | | IMX291 + FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$23 | VM-BP20XHD | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$24 | VM-BP50SHD |
| | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3\$) | \$10 | VM-BP10VHD | |
| | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3\$) | \$14 | VM-BP13MHD | |
| | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$15 | VM-BP13AHD | |
| | 4MP | OV4689 + NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$19 | VM-BP40VHD | | | |
|  <ul style="list-style-type: none"> ◆ Mini Spy camera ◆ 160PCS Per Carton ◆ Size: 35mm x 10mm x 35mm ◆ Weight: 250g | Default: 3.6mm Board Lens Optional: 2.8mm (add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, IR-CUT ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$15 | VM-AP20XHD | |
| | | | | IMX291 + FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$21 | VM-AP20SHD | |
| | | | | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$22 | VM-AP50SHD |
| | | AHD | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3\$) | \$10 | VM-AP10VHD | |
| | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3\$) | \$12 | VM-AP13MHD | |
| | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$13 | VM-AP13AHD | |
| | 4MP | OV4689 + NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$17 | VM-AP40VHD | | | |
|  <ul style="list-style-type: none"> ◆ SONY/CMOS Color CCD ◆ Smoke Detector Camera ◆ 24PCS Per Carton ◆ Size: 119mm x 56mm ◆ Weight: 420g | Default: 3.6mm Board Lens Optional: 2.8mm (add\$0.5) | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3\$) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$11 | VS-CB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3\$) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$12 | VS-CB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$19 | VS-CB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$20 | VS-CB50SHD | |
| | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$8 | VS-CB10VHD | |
| | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$11 | VS-CB13MHD | |
| | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$12 | VS-CB13AHD | |
| | | | 2MP WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum ◆ OSD, WDR, UTC Optional(0.3\$) | \$21 | VS-CB20WHD | |
| | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$13 | VS-CB30AHD | |
| 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$14 | VS-CB40VHD | | | | |
|  <ul style="list-style-type: none"> ◆ SONY/CMOS Color CCD ◆ PIR style Spy Camera ◆ 60PCS Per Carton ◆ Size: 70mm x 40mm x 119mm ◆ Weight: 450g | 3.7mm Taper Pinhole Lens | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.3\$) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$13 | VS-DB20PHD | |
| | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.3\$) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VS-DB20XHD | |
| | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$21 | VS-DB20THD | |
| | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.3\$) | \$22 | VS-DB50SHD | |
| | | | 720P | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$10 | VS-DB10VHD | |
| | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.3\$), OSD Optional (0.5\$) | \$12 | VS-DB13MHD | |
| | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$14 | VS-DB13AHD | |
| | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$15 | VS-DB30AHD | |
| | | | 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.3\$), OSD Optional (0.5\$) | \$16 | VS-DB40VHD | |

















| | | | | | | | | | |
|--|---|---|-------------------------|------------|-----------------------|---|---|------------|------------|
|    | <ul style="list-style-type: none"> ◆ SONY/CMOS Color CCD ◆ PIR style Spy Camera ◆ IR LED: 14µx 18pcs, Invisible IR LED, IR Range: 15M ◆ Microphone Built-in Audio Output ◆ 60PCS Per Carton ◆ Size: 70mm x 40mm x 119mm ◆ Weight: 450g | 3.7mm Taper Pinhole Lens | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum ◆ UTC Menu change TVI/CVI/AHD/CVBS Out | \$20 | VS-EB20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum ◆ UTC Menu change TVI/CVI/AHD/CVBS Out | \$21 | VS-EB20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ UTC Menu change TVI/CVI/AHD/CVBS Out | \$29 | VS-EB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR ◆ UTC Menu change TVI/CVI/AHD/CVBS Out | \$30 | VS-EB50SHD |
| | | | | | | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35) | \$15 | VS-EB10VHD |
| | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35) | \$18 | VS-EB13MHD |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35) | \$21 | VS-EB13AHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35) | \$24 | VS-EB30AHD |
| 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35) | \$25 | VS-EB40VHD | | | | | |
















| | | | | | | | | | |
|---|--|--|-------------------------|------------|-----------------------|---|--|------------|------------|
|   | <ul style="list-style-type: none"> ◆ SONY/CMOS Color CCD ◆ PIR style Spy Camera ◆ 40PCS Per Carton ◆ Size: 70mm x 50mm x 130mm ◆ Weight: 500g | 3.7mm Taper Pinhole Lens | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$14 | VS-FB20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum, UTC (0.35) ◆ OSD Menu change TVI/CVI/AHD/CVBS Out | \$15 | VS-FB20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$22 | VS-FB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR, OSD ◆ OSD Menu change TVI/CVI/AHD/CVBS Out, UTC (0.35) | \$23 | VS-FB50SHD |
| | | | | | | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$11 | VS-FB10VHD |
| | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35), OSD Optional (0.55) | \$13 | VS-FB13MHD |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$15 | VS-FB13AHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$16 | VS-FB30AHD |
| 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35), OSD Optional (0.55) | \$17 | VS-FB40VHD | | | | | |

| | | | | | | | | | |
|--|---|---|-------------------------|------------|-----------------------|---|---|------------|------------|
|    | <ul style="list-style-type: none"> ◆ SONY/CMOS Color CCD ◆ PIR style Spy Camera ◆ IR LED: 14µx 48pcs, Invisible IR LED, IR Range: 30M ◆ Microphone Built-in Audio Output ◆ 40PCS Per Carton ◆ Size: 70mm x 50mm x 130mm ◆ Weight: 500g | 3.7mm Taper Pinhole Lens | 4 IN 1 TVI CVI AHD CVBS | 1080P | F22 + FH8536E | ◆ 1/3" 1080P(2.1MP) CMOS Sensor, Low illum ◆ UTC Menu change TVI/CVI/AHD/CVBS Out | \$22 | VS-GB20PHD | |
| | | | | | SONY IMX323 + FH8536E | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum ◆ UTC Menu change TVI/CVI/AHD/CVBS Out | \$23 | VS-GB20XHD | |
| | | | | | SONY IMX291+FH8550D | ◆ 1/2.8" 1080P(2.13MP) STARVIS CMOS Sensor, Low illum ◆ UTC Menu change TVI/CVI/AHD/CVBS Out | \$31 | VS-GB20THD | |
| | | | | AHD | 5MP | IMX326 + FH8538M | ◆ 1/2.9" SONY 5.0MP CMOS Sensor, Low illum, DNR ◆ UTC Menu change TVI/CVI/AHD/CVBS Out | \$32 | VS-GB50SHD |
| | | | | | | OV9732+NVP2433 | ◆ 1/4" Mega 720P(1.0MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35) | \$17 | VS-GB10VHD |
| | | | | | 960P | MN339+NVP2431H | ◆ 1/2.7" Panasonic 960P(1.4MP) CMOS Sensor, Low illum ◆ IR-CUT, UTC Optional(0.35) | \$20 | VS-GB13MHD |
| | | | | | | APTINA 0130+NVP2431H | ◆ 1/3" 960P(1.4 MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35) | \$23 | VS-GB13AHD |
| | | | | | 3MP | AR0330 + NVP2470H | ◆ 1/3" Aptina(3.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35) | \$26 | VS-GB30AHD |
| 4MP | OV4689+NVP2475 | ◆ 1/3" Omnivision(4.0MP) CMOS Sensor, Low illum, IR-CUT ◆ UTC Optional(0.35) | \$27 | VS-GB40VHD | | | | | |




VII SONY STARVIS Color Night Vision AHD Camera(NO IR LED)

| Product Image | Specification | Lens | AHD | 1080P | Chipset Specifications | Price(USD/unit) | Model No. | |
|---|--|---|-----|-------|------------------------|---|-----------|-------------|
| | | | | | | Sample | | |
|   | <ul style="list-style-type: none"> ◆ 3" Plastic IR Dome Camera ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g | Lens: Board Lens 4mm Aperture: F1.5 | AHD | 1080P | SONY IMX291+2441H | ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$25 | VD-IOB20UHD |
|   | <ul style="list-style-type: none"> ◆ 3" Plastic IR Dome Camera ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g | Lens: Board Lens 4mm Aperture: F1.5 | AHD | 1080P | SONY IMX291+2441H | ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$25 | VD-IDB20UHD |





| | | | | | | | | |
|---|--|--|------------|--------------|--------------------------|---|-------------|--------------------|
|   | <ul style="list-style-type: none"> ◆ 3" Metal IR IP66 Dome Camera ◆ Water Resistance: IP66 ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | <p>AHD</p> | <p>1080P</p> | <p>SONY IMX291+2441H</p> | <ul style="list-style-type: none"> ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | <p>\$26</p> | <p>VD-IAB20UHD</p> |
|   | <ul style="list-style-type: none"> ◆ 3" Metal IR IP66 Dome Camera ◆ Water Resistance: IP66 ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | <p>AHD</p> | <p>1080P</p> | <p>SONY IMX291+2441H</p> | <ul style="list-style-type: none"> ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | <p>\$26</p> | <p>VD-IBB20UHD</p> |
|   | <ul style="list-style-type: none"> ◆ 3" Metal IR IP66 Dome Camera ◆ Water Resistance: IP66 ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | <p>AHD</p> | <p>1080P</p> | <p>SONY IMX291+2441H</p> | <ul style="list-style-type: none"> ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | <p>\$27</p> | <p>VD-IHB20UHD</p> |
|   | <ul style="list-style-type: none"> ◆ 3" Metal IR IP66 Dome Camera ◆ Water Resistance: IP66 ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | <p>AHD</p> | <p>1080P</p> | <p>SONY IMX291+2441H</p> | <ul style="list-style-type: none"> ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | <p>\$27</p> | <p>VD-IB20UHD</p> |
|   | <ul style="list-style-type: none"> ◆ 3" Metal IR IP66 Dome Camera ◆ Water Resistance: IP66 ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | <p>AHD</p> | <p>1080P</p> | <p>SONY IMX291+2441H</p> | <ul style="list-style-type: none"> ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | <p>\$27</p> | <p>VD-IKB20UHD</p> |
|   | <ul style="list-style-type: none"> ◆ 4" Vandalproof IP66 IR Dome Camera ◆ Water Resistance: IP66 ◆ Deep base(600g) add \$4 ◆ 24PCS Per Carton ◆ Size: 131mm x 93mm ◆ Weight: 900g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | <p>AHD</p> | <p>1080P</p> | <p>SONY IMX291+2441H</p> | <ul style="list-style-type: none"> ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | <p>\$29</p> | <p>VD-IAV20UHD</p> |
|   | <ul style="list-style-type: none"> ◆ Waterproof Plastic IR Bullet Camera ◆ Water Resistance: IP66 ◆ 3-Axis Cable Built-in Bracket ◆ 60PCS Per Carton ◆ Size: 86mm x 60mm x 55mm ◆ Weight: 580g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | <p>AHD</p> | <p>1080P</p> | <p>SONY IMX291+2441H</p> | <ul style="list-style-type: none"> ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | <p>\$25</p> | <p>VW-AB20UHD</p> |
|   | <ul style="list-style-type: none"> ◆ Waterproof Plastic IR Bullet Camera ◆ Water Resistance: IP66 ◆ 3-Axis Cable Built-in Bracket ◆ 60PCS Per Carton ◆ Size: 86mm x 60mm x 55mm ◆ Weight: 580g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | <p>AHD</p> | <p>1080P</p> | <p>SONY IMX291+2441H</p> | <ul style="list-style-type: none"> ◆ 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, ◆ OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | <p>\$26</p> | <p>VW-AAB20UHD</p> |

| | | | | | | | | |
|--|---|--|-----|-------|-------------------|---|------|--------------|
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 580g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | AHD | 1080P | SONY IMX291+2441H | <ul style="list-style-type: none"> 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$27 | VW-FB20UHD |
|  | <ul style="list-style-type: none"> Waterproof IR Bullet Camera Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 92mm x 62mm x 58mm Weight: 650g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | AHD | 1080P | SONY IMX291+2441H | <ul style="list-style-type: none"> 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$27 | VW-ACB20UHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera Water Resistance: IP66 3-Axis Cable Built-in Bracket 40PCS Per Carton Size: 175mm x 69mm x 55mm Weight: 580g | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | AHD | 1080P | SONY IMX291+2441H | <ul style="list-style-type: none"> 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$28 | VW-CB20UHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in Water Resistance: IP66 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1.7Kg | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | AHD | 1080P | SONY IMX291+2441H | <ul style="list-style-type: none"> 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$29 | VW-IV20UHD |
| | | <p>Lens: Board Lens 4mm Aperture: F1.2</p> | | | | | \$31 | VW-IV20UAHD |
| | | <p>Lens: CS Lens 4mm Aperture: F1.5</p> | | | | | \$31 | VW-IV20UBHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in Water Resistance: IP66 24PCS Per Carton Size: 220mm x 80mm x 85mm Weight: 1.6Kg | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | AHD | 1080P | SONY IMX291+2441H | <ul style="list-style-type: none"> 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$30 | VW-YAV20UHD |
| | | <p>Lens: Board Lens 4mm Aperture: F1.2</p> | | | | | \$32 | VW-YAV20UAHD |
| | | <p>Lens: CS Lens 4mm Aperture: F1.5</p> | | | | | \$32 | VW-YAV20UBHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in Water Resistance: IP66 24PCS Per Carton Size: 200mm x 171mm x 83mm Weight: 1.7Kg | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | AHD | 1080P | SONY IMX291+2441H | <ul style="list-style-type: none"> 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$30 | VW-AV20UHD |
| | | <p>Lens: Board Lens 4mm Aperture: F1.2</p> | | | | | \$32 | VW-AV20UAHD |
| | | <p>Lens: CS Lens 4mm Aperture: F1.5</p> | | | | | \$32 | VW-AV20UBHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in Water Resistance: IP66 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1.7Kg | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | AHD | 1080P | SONY IMX291+2441H | <ul style="list-style-type: none"> 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$31 | VW-FV20UHD |
| | | <p>Lens: Board Lens 4mm Aperture: F1.2</p> | | | | | \$33 | VW-FV20UAHD |
| | | <p>Lens: CS Lens 4mm Aperture: F1.5</p> | | | | | \$33 | VW-FV20UBHD |
|   | <ul style="list-style-type: none"> Waterproof IR Bullet Camera 3-Axis Bracket Built-in Water Resistance: IP66 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1.7Kg | <p>Lens: Board Lens 4mm Aperture: F1.5</p> | AHD | 1080P | SONY IMX291+2441H | <ul style="list-style-type: none"> 1/2.8" 1080P(2.1MP) CMOS Sensor, IR-CUT, OSD, DWDR, DNR, Ultra Low illumination 0.0008 Lux | \$32 | VW-ACV20UHD |
| | | <p>Lens: Board Lens 4mm Aperture: F1.2</p> | | | | | \$34 | VW-ACV20UAHD |
| | | <p>Lens: CS Lens 4mm Aperture: F1.5</p> | | | | | \$34 | VW-ACV20UBHD |

VIII BOX Camera(Price exclude Lens)

| Product Image | Specification | Lens | Chipset Specifications | | | Price(USD/unit) | Model No. | |
|---|---|------|------------------------|-----------|-----------------------|---|-----------|------------|
| | | | | | | Sample | | |
|  | <ul style="list-style-type: none"> ◆ MINI BOX Camera ◆ 60PCS Per Carton ◆ Size: 120mm x 60mm x 50mm ◆ Weight: 0.4Kg | / | AHD | 1080P | SONY IMX323+ NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum | \$20 | VB-BC20SHD |
| | | | | 1080P WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum | \$25 | VB-BC20WHD |
|  | <ul style="list-style-type: none"> ◆ Box Camera CS Mount ◆ 60PCS Per Carton ◆ Size: 150mm x 80mm x 60mm ◆ Weight: 0.9Kg | / | AHD | 1080P | SONY IMX323+ NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum | \$21 | VB-BA20SHD |
| | | | | 1080P WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum | \$26 | VB-BA20WHD |
|  | <ul style="list-style-type: none"> ◆ Box Camera CS Mount ◆ 60PCS Per Carton ◆ Size: 150mm x 80mm x 60mm ◆ Weight: 0.9Kg | / | AHD | 1080P | SONY IMX323+ NVP2441H | ◆ 1/3" 1080P(2.4MP) CMOS Sensor, Low illum | \$21 | VB-BB20SHD |
| | | | | 1080P WDR | SONY IMX290+ NVP2450 | ◆ 1/2.8" 1080P(2.13MP) CMOS Sensor, Low illum | \$26 | VB-BB20WHD |

IX IR LED Illuminators & Controller

| Product Image | Specification | IR LED Illuminator Specifications | Price(USD/unit) | Model No. |
|---|---|---|-----------------|-----------|
| | | | Sample | |
|  | <ul style="list-style-type: none"> ◆ Degree angle: option 60/30 degree ◆ DC12V, 220V, AC110-220V, AC24V (Optional) ◆ Irradiation distance: 50 meters ◆ 30PCS Per Carton ◆ Size: 127mm x 64mm x 54mm ◆ AC110-220V, DC12V ◆ Weight: 900g | Waterproof IP66 Outdoor 54pcs Φ10mm(30°LED 12V Default) | \$12 | VW-ED54 |
|  | <ul style="list-style-type: none"> ◆ Degree angle: option 60/30 degree ◆ DC12V, 220V, AC110-220V, AC24V (Optional) ◆ Irradiation distance: 100 meters ◆ 20PCS Per Carton ◆ Size: 150(H)x120(L)x88(W) mm ◆ Weight: 1.8kg | Waterproof IP66 Outdoor 96pcs Φ10mm(30°LED 12V Default) | \$14 | VW-ED96 |
|  | <ul style="list-style-type: none"> ◆ Degree angle: option 60/30 degree ◆ DC12V, 220V, AC110-220V, AC24V (Optional) ◆ Irradiation distance: 150 meters ◆ 10PCS Per Carton ◆ Size: 180(H)x140(L)x80(W) mm ◆ Weight: 2.2kg | Waterproof IP66 Outdoor 216pcs Φ10mm(30°LED 12V Default) | \$28 | VW-ED216 |
|  | <ul style="list-style-type: none"> ◆ HD UTC(up-the-coax) Controller ◆ Analog(CVBS) or switch to AHD(HD mode) ◆ Remote Controller Enables control of the OSD menu via a coaxial cable ◆ Distance: Up to 300 meters ◆ Weight: 1000g | | \$5.00 | VC-HDC1 |

| | |
|---------------|------------------------------------|
| Trade Term: | US Dollars |
| Payment Term: | T/T, Paypal, Western Union and L/C |
| Warranty: | 2 Years |