

Comprehensive Security Solutions Inc.





"The Architects of Security"

Address: 2nd Avenue Nurse Land, Tweedside Road, St. Michael, Barbados





Tel: 1(246)266-3886 / Fax: 1(246)571-2315 / Email: comprehensivesecuritysolutions@caribsurf.com



IP Camera Price List (V17.9.1)















I Megapixel Pan & Tilt IP Bullet Camera





Product Image	Specification	Chipset		Lens	PoE	WiFi	(USD/unit)	Model No.	
 <ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 2PCS IR-III LED, IR Range: 40M ◆ Video Output: 1 x RJ45 port ◆ Pan Range: 0—350° ◆ Tilt Range: 0—60° ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 12PCS Per Carton ◆ Size: 200mm x 171mm x 83mm ◆ Weight: 1500g 		H.264	960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960)	CS Lens 6MM (2M Pixels)	External PoE Optional(add \$10)	/	\$37	VN-PTB13
		H.264	1080P	1/2.5" Sony IMX323 + HI3516C 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)					External PoE Optional(add \$10)
 <ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 4PCS IR-III LED, IR Range: 60M ◆ Video Output: 1 x RJ45 port ◆ Pan Range: 0—350° ◆ Tilt Range: 0—60° ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ Size: 200mm x 171mm x 83mm ◆ 12PCS Per Carton ◆ Weight: 1500g 		H.264	960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960)	2.8-12mm Auto Focus Lens(4X)	External PoE Optional(add \$10)	/	\$47	VN-PTV13
		H.264	1080P	1/2.5" Sony IMX323 + HI3516C 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)					5-50mm Auto Focus Lens(10X) add \$28
















II Megapixel Fixed Lens IP Dome Camera




Product Image	Specification	Chipset		Lens	PoE	WiFi	(USD/unit)	Model No.	
 <ul style="list-style-type: none"> ◆ 2" Metal IR Dome IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 5 X 12 pcs, IR Range: 15M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 100PCS Per Carton ◆ Size: 60mm x 50mm ◆ Weight: 350g 		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$15.30	VN-IMB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps					External PoE
 <ul style="list-style-type: none"> ◆ 2" Plastic IR Dome IP Camera ◆ IR LED: 5 X 12 pcs, IR Range: 15M ◆ Obscured glass, hidden IR Led ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut 		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE	/	\$13.80	VN-INB10H
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps					External PoE









 <p> <ul style="list-style-type: none"> ◆ Working Temperature: -10℃~ +60℃ ◆ 50PCS Per Carton ◆ Size: 60mm x 50mm ◆ Weight: 350g </p>	<p> OSD, Motion Detection, Remote View and Control, IR-Cut </p>	<p>H.265</p>	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	Optional(add \$4)	/	\$25.30	VN-INB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$20.80	VN-INB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$25.80	VN-INB20
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$25.80	VN-INB20
 <p> <ul style="list-style-type: none"> ◆ 3" Plastic IR Dome IP Camera ◆ IR LED: 14μX12PCS, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g </p>	<p> OSD, Motion Detection, Remote View and Control, IR-Cut </p>	<p>H.264+</p>	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$13.30	VN-IOB10HS
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$15.80	VN-IOB13ES
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$15.80	VN-IOB20CS
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$24.80	VN-IOB20VS
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$20.30	VN-IOB20FS
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$25.30	VN-IOB20S
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$25.30	VN-IOB20S





  	<ul style="list-style-type: none"> ◆ 3" Plastic IR Dome IP Camera ◆ IR LED: \varnothing 5 X 24 pcs, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10°C ~ +60°C ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$13.30	VN-IOB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$15.80	VN-IOB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$15.80	VN-IOB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			/	\$24.80	VN-IOB20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$20.30	VN-IOB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$25.30	VN-IOB20
  	<ul style="list-style-type: none"> ◆ 3" Plastic IR Dome IP Camera ◆ IR LED: 14μX12PCS, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10°C ~ +60°C ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$13.30	VN-IDB10HS
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$15.80	VN-IDB13ES
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$15.80	VN-IDB20CS
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	/	\$24.80
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$20.30	VN-IDB20FS
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$25.30	VN-IDB20S
  	<ul style="list-style-type: none"> ◆ 3" Plastic IR Dome IP Camera ◆ IR LED: \varnothing 5 X 24 pcs, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10°C ~ +60°C ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 370g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$13.30	VN-IDB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$15.80	VN-IDB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$15.80	VN-IDB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	/	\$24.80
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$20.30	VN-IDB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$25.30	VN-IDB20
  	<ul style="list-style-type: none"> ◆ 3" Metal IR Dome IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 14μX12PCS, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10°C ~ +60°C ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$14.80	VN-IAB10HS
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$17.30	VN-IAB13ES
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$17.30	VN-IAB20CS
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	/	\$25.80
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$21.80	VN-IAB20FS
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$26.80	VN-IAB20S
 	<ul style="list-style-type: none"> ◆ 3" Metal IR Dome IP Camera ◆ Water Resistance: IP66 		720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps			/	\$14.80	VN-IAB10H

 <ul style="list-style-type: none"> Water Resistance: IP66 IR LED: $\leq 5 \times 24$ pcs, IR Range: 20M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$ 50PCS Per Carton Size: 94mm x 69mm Weight: 480g 	 <ul style="list-style-type: none"> 3" Metal IR Dome IP Camera Water Resistance: IP66 IR LED: $14\mu\text{x}12$PCS, IR Range: 20M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$ 50PCS Per Carton Size: 94mm x 69mm Weight: 480g 	 	H.264+	960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$17.30	VN-IAB13E
			H.264+	1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	3.6mm(2M Pixels)		/	\$17.30	VN-IAB20C
			H.265	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$25.80	VN-IAB20V
			H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$21.80	VN-IAB20F
			H.265	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$26.80	VN-IAB20
			H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)		/	\$14.80	VN-IBB10HS
H.264+	960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	3.6mm(2M Pixels)	/	\$17.30	VN-IBB13ES				
H.264+	1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	3.6mm(2M Pixels)	/	\$17.30	VN-IBB20CS				
H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	/	\$25.80	VN-IBB20VS				
H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)	/	\$21.80	VN-IBB20FS				
H.265	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	/	\$26.80	VN-IBB20S				




 <p>3" Metal IR Dome IP Camera Water Resistance: IP66 IR LED: 5 X 24 pcs, IR Range: 20M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃ ~ +60℃ 50PCS Per Carton Size: 94mm x 69mm Weight: 480g</p>			H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$14.80	VN-IBB10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$17.30	VN-IBB13E	
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$17.30	VN-IBB20C	
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			/	\$25.80	VN-IBB20V	
				H.265	1080P			1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/	\$21.80	VN-IBB20F
					1080P			1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/	\$26.80	VN-IBB20
 <p>2" Metal IR Dome IP Camera IR LED: 5 X 12 pcs, IR Range: 15M Obscured glass, hidden IR Led Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃ ~ +60℃ 24PCS Per Carton Size: 120mm x 55mm Weight: 550g</p>			H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$17	VN-IJB10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$20	VN-IJB13E	
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$20	VN-IJB20C	
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			/	\$29	VN-IJB20V	
				H.265	1080P			1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/	\$24	VN-IJB20F
					1080P			1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/	\$30	VN-IJB20
 <p>2" Metal IR Dome IP Camera IR LED: 5 X 12 pcs, IR Range: 15M Obscured glass, hidden IR Led Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃ ~ +60℃ 24PCS Per Carton Size: 120mm x 60mm Weight: 600g</p>			H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$18	VN-IRB10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$21	VN-IRB13E	
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$21	VN-IRB20C	
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			/	\$30	VN-IRB20V	
				H.265	1080P			1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/	\$25	VN-IRB20F
					1080P			1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/	\$31	VN-IRB20
 <p>3" Plastic IR Dome IP Camera IR LED: 1 pc, IR Range: 20M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃ ~ +60℃ 50PCS Per Carton Size: 94mm x 69mm Weight: 370g</p>			H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$13.80	VN-ICB10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$16.30	VN-ICB13E	
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$16.30	VN-ICB20C	
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			/	\$24.80	VN-ICB20V	
				H.265	1080P			1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/	\$20.50	VN-ICB20F
					1080P			1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/	\$25.80	VN-ICB20
 <p>2" Metal IR Dome IP Camera Water Resistance: IP65</p>			720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps			/	\$19	VN-IFB10H		






 <ul style="list-style-type: none"> ◆ IR LED: $\text{C} 5 \times 12$ pcs, IR Range: 15M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$ ◆ 50PCS Per Carton ◆ Size: 95mm x 45mm ◆ Weight: 400g 		<ul style="list-style-type: none"> ◆ 3" Metal IR Dome IP Camera ◆ Water Resistance: IP65 ◆ IR LED: $\text{C} 5 \times 15$ pcs, IR Range: 20M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$ ◆ 50PCS Per Carton ◆ Size: 75mm x 55mm ◆ Weight: 950g 		H.264+	960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$21	VN-IFB13E
				H.264+	1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	3.6mm(2M Pixels)		/	\$21	VN-IFB20C
				H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$30	VN-IFB20V
				H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$26	VN-IFB20F
				H.265	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$31	VN-IFB20
				H.265	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)		/	\$20	VN-IGB10H
H.264+	960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	3.6mm(2M Pixels)	/	\$22	VN-IGB13E					
H.264+	1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	3.6mm(2M Pixels)	/	\$22	VN-IGB20C					
H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	/	\$31	VN-IGB20V					
H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)	/	\$27	VN-IGB20F					
H.265	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	/	\$32	VN-IGB20					




 <p> Onvif ◆ 3" Metal IR Dome IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 1 pcs IR-III Led, IR Range: 25M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃ ~ +60℃ ◆ 50PCS Per Carton ◆ Size: 75mm x55mm ◆ Weight: 750g </p>	 <p> Onvif  ◆ 3" Metal IR Dome IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 5 X 24 pcs, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃ ~ +60℃ ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g </p>	 <p> Onvif  ◆ 3" Metal IR Dome IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 14μX12PCS, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃ ~ +60℃ ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g </p>	 <p> Onvif  ◆ 3" Metal IR Dome IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 5 X 24 pcs, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃ ~ +60℃ ◆ 50PCS Per Carton ◆ Size: 94mm x 69mm ◆ Weight: 480g </p>	 <p> Onvif ◆ 4" Plastic Dome IP Camera ◆ IR LED: 2 pcs IR-III Led, IR Range: 25M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut </p>	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$17	VN-IHB10H	
					960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	/			\$19	VN-IHB13E		
					1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	/			\$19	VN-IHB20C		
					1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)			/	\$28	VN-IHB20V	
					H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(2M Pixels)	/	\$24	VN-IHB20F
					1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)			/	\$29	VN-IHB20	
H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$15.80	VN-IKB10HS						
960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	/			\$18.30	VN-IKB13ES							
1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	/			\$18.30	VN-IKB20CS							
1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)			/	\$26.80	VN-IKB20VS						
H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(2M Pixels)	/	\$22.50	VN-IKB20FS					
1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)			/	\$27.80	VN-IKB20S						
H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$15.80	VN-IKB10H						
960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	/			\$18.30	VN-IKB13E							
1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	/			\$18.30	VN-IKB20C							
1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)			/	\$26.80	VN-IKB20V						
H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(2M Pixels)	/	\$22.50	VN-IKB20F					
1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)			/	\$27.80	VN-IKB20						
H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE	/	\$16	VN-ILB10H						
960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	/			\$19	VN-ILB13E							
1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	/			\$19	VN-ILB20C							


	<p>OSD, Motion Detection, Remote View and Control, IR-Cut</p> <ul style="list-style-type: none"> Working Temperature: -10°C ~ +60°C 24PCS Per Carton Size: 105x80 mm Weight: 500g 	H.265	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	Optional(add \$4)	/	\$27	VN-ILB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$23	VN-ILB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$28	VN-ILB20
  	<p>4" Metal IR Dome IP Camera</p> <ul style="list-style-type: none"> Water Resistance: IP66 IR LED: 5 X 24 pcs, IR Range: 30M Video Output: 1 x RJ45 port Support Onvif , Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10°C ~ +60°C 24PCS Per Carton Size: 119mm x 82mm Weight: 880g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$19	VN-IEB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$21	VN-IEB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$21	VN-IEB20C
		H.265	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)	\$30	VN-IEB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		Optional (add 10USD)	\$26	VN-IEB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)	\$31	VN-IEB20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)		Optional (add 5USD)	\$39	VN-IEB40
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		Optional (add 5USD)	\$95	VN-IEB50




III Megapixel Varifocal Lens IP Dome Camera




Product Image	Specification	Chipset	Lens	PoE	WiFi	(USD/unit)	Model No.						
	<ul style="list-style-type: none"> ◆ 4" Plastic IR Dome IP Camera ◆ IR LED: \varnothing 5 X 21 pcs, IR Range: 25M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 24PCS Per Carton ◆ Size: 149mm x 99mm ◆ Weight: 700g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	External PoE Optional(add \$4)	Optional (add 8USD)	\$19.30	VN-IOV10H				
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$21.30	VN-IOV13E				
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$21.30	VN-IOV20C				
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$32.30	VN-IOV20V				
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$26.80	VN-IOV20F				
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$32.80	VN-IOV20				
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$41.30	VN-IOV40				
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$103.30	VN-IOV50				
			H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MPCMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps		2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$45.80	VN-IOV20A			
					<ul style="list-style-type: none"> ◆ 4" Metal IR Dome IP Camera ◆ Water Resistance: IP65 ◆ IR LED: \varnothing 14x24pcs, IR Range: 30M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ Deep Base(600g) add \$4 ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 24PCS Per Carton ◆ Size: 131mm x 93mm ◆ Weight: 980g 		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	External PoE Optional(add \$4)	Optional (add 8USD)	\$21.30
960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	Optional (add 8USD)	\$23.30			VN-IAV13ES							
1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)	\$23.30			VN-IAV20CS							
1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)	\$33.80			VN-IAV20VS							
H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)			Optional (add 10USD)	\$28.80	VN-IAV20FS					
	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)			Optional (add 10USD)	\$34.50	VN-IAV20S					
	4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)			/	\$43.80	VN-IAV40S					
	H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MPCMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			2.8-12mm 4X motorized zoom lens(3M Pixels)	/	\$48.80	VN-IAV20AS				
			<ul style="list-style-type: none"> ◆ 4" Metal IR Dome IP Camera ◆ Water Resistance: IP65 ◆ IR LED: \varnothing 5 X 36 pcs, IR Range: 30M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ Deep Base(600g) add \$4 ◆ OSD, Motion Detection, Remote View and Control, IR-Cut 			H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	External PoE Optional(add \$4)		Optional (add 8USD)	\$21.30
	960P						1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	Optional (add 8USD)				\$23.30	VN-IAV13E
1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$23.30		VN-IAV20C						
1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$33.80		VN-IAV20V						
H.265	1080P			1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 10USD)	\$28.80	VN-IAV20F					

	<p>Cut</p> <ul style="list-style-type: none"> ◆ Working Temperature: -10℃~ +60℃ ◆ 24PCS Per Carton ◆ Size: 131mm x 93mm ◆ Weight: 980g 	<p>H.265</p>	<p>1080P</p>	<p>1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</p>	<p>2.8-12mm Manual Zoom Lens(3M Pixels)</p>	<p>Optional (add 10USD)</p>	<p>\$34.50</p>	<p>VN-IAV20</p>		
			<p>4MP</p>	<p>1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination, Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps</p>	<p>2.8-12mm Manual Zoom Lens(3M Pixels)</p>		<p>/</p>	<p>\$43.80</p>	<p>VN-IAV40</p>	
			<p>H.264+</p>	<p>1080P</p>	<p>1/2.5" Sony IMX323 + HI3516CV200 2 MPCMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</p>		<p>2.8-12mm 4X motorized zoom lens(3M Pixels)</p>	<p>/</p>	<p>\$48.80</p>	<p>VN-IAV20A</p>
   	<ul style="list-style-type: none"> ◆ 4" Metal IR Dome IP Camera ◆ Water Resistance: IP65 ◆ IR LED: 5 X 36 pcs, IR Range: 30M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ Deep Base(600g) add \$4 ◆ OSD, Motion Detection, Remote View and Control, IR- <p>Cut</p> <ul style="list-style-type: none"> ◆ Working Temperature: -10℃~ +60℃ ◆ 24PCS Per Carton ◆ Size: 131mm x 93mm ◆ Weight: 980g 	<p>H.264+</p>	<p>720P</p>	<p>1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps</p>	<p>2.8-12mm Manual Zoom Lens(2M Pixels)</p>	<p>External PoE Optional(add \$4)</p>	<p>Optional (add 8USD)</p>	<p>\$21.30</p>	<p>VN-IBV10HS</p>	
			<p>960P</p>	<p>1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps</p>			<p>Optional (add 8USD)</p>	<p>\$23.30</p>	<p>VN-IBV13ES</p>	
			<p>1080P</p>	<p>1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps</p>			<p>Optional (add 10USD)</p>	<p>\$23.30</p>	<p>VN-IBV20CS</p>	
			<p>1080P</p>	<p>1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</p>	<p>2.8-12mm Manual Zoom Lens(3M Pixels)</p>		<p>Optional (add 10USD)</p>	<p>\$33.80</p>	<p>VN-IBV20VS</p>	
			<p>H.265</p>	<p>1080P</p>	<p>1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</p>		<p>2.8-12mm Manual Zoom Lens(2M Pixels)</p>	<p>Optional (add 10USD)</p>	<p>\$28.80</p>	<p>VN-IBV20FS</p>
			<p>1080P</p>	<p>1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</p>	<p>2.8-12mm Manual Zoom Lens(3M Pixels)</p>		<p>Optional (add 10USD)</p>	<p>\$34.50</p>	<p>VN-IBV20S</p>	
			<p>4MP</p>	<p>1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination, Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps</p>	<p>2.8-12mm Manual Zoom Lens(3M Pixels)</p>		<p>/</p>	<p>\$43.80</p>	<p>VN-IBV40S</p>	
			<p>H.264+</p>	<p>1080P</p>	<p>1/2.5" Sony IMX323 + HI3516CV200 2 MPCMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</p>		<p>2.8-12mm 4X motorized zoom lens(3M Pixels)</p>	<p>/</p>	<p>\$48.80</p>	<p>VN-IBV20AS</p>


 <p> 4" Metal IR Dome IP Camera Water Resistance: IP65 IR LED: 5 X 36 pcs, IR Range: 30M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets Deep Base(600g) add \$4 OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃~ +60℃ 24PCS Per Carton Size: 131mm x 93mm Weight: 980g </p>	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	External PoE Optional(add \$4)	Optional (add 8USD)	\$21.30	VN-IBV10H		
		960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$23.30	VN-IBV13E		
		1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$23.30	VN-IBV20C		
		1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$33.80	VN-IBV20V		
	H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$28.80	VN-IBV20F		
		1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$34.50	VN-IBV20		
		4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		/	\$43.80	VN-IBV40		
	H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MPCMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		/	\$48.80	VN-IBV20A		
	 <p> 4.5" Metal IR Dome IP Camera Water Resistance: IP65 IR LED: 5 X 36 pcs, IR Range: 30M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃~ +60℃ 24PCS Per Carton Size: 140mm x 95mm Weight: 1000g </p>	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps		2.8-12mm Manual Zoom Lens(2M Pixels)	External PoE Optional(add \$4)	Optional (add 8USD)	\$23	VN-IIV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps				Optional (add 8USD)	\$25	VN-IIV13E
1080P			1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)	\$25			VN-IIV20C		
1080P			1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)	\$36			VN-IIV20V		
H.265		1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 10USD)	\$31		VN-IIV20F		
		1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)	\$37		VN-IIV20		
		4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)	/	\$45		VN-IIV40		
H.264+		1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MPCMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm 4X motorized zoom lens(3M Pixels)	/	\$50		VN-IIV20A		
 <p> 4.5" Metal IR Dome IP Camera Water Resistance: IP65 IR LED: 14μX24pcs, IR Range: 30M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃~ +60℃ </p>		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	External PoE Optional(add \$4)		Optional (add 8USD)	\$21.80	VN-IKV10HS
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps				Optional (add 8USD)	\$24.30	VN-IKV13ES
	1080P		1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)			\$24.30	VN-IKV20CS		
	1080P		1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)			\$34.30	VN-IKV20VS		
	H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 10USD)		\$29.30	VN-IKV20FS		
		1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)		\$35.30	VN-IKV20S		


	<ul style="list-style-type: none"> ◆ 24PCS Per Carton ◆ Size: 140mm x 95mm ◆ Weight: 1000g 		4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor , Low illumination, Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		/	\$44.30	VN-IKV40S
		H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MPCMOS , Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		/	\$49.30	VN-IKV20AS
 <ul style="list-style-type: none"> ◆ 4.5" Metal IR Dome IP Camera ◆ Water Resistance: IP65 ◆ IR LED: 5 X 36 pcs, IR Range: 30M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 24PCS Per Carton ◆ Size: 140mm x 95mm ◆ Weight: 1000g 		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS , 720P(1280*720), 720P@20fps		External PoE Optional(add \$4)	Optional (add 8USD)	\$21.80	VN-IKV10H
	H.264+	960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS , Low illumination, 960P(1280*960),960P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 8USD)		\$24.30	VN-IKV13E	
	H.264+	1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS , Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps		Optional (add 10USD)		\$24.30	VN-IKV20C	
	H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS , Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)		\$34.30	VN-IKV20V	
	H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS , Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 10USD)		\$29.30	VN-IKV20F	
	H.265	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS , Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)		\$35.30	VN-IKV20	
	H.264+	4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor , Low illumination, Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)	/		\$44.30	VN-IKV40	
	H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MPCMOS , Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm 4X motorized zoom lens(3M Pixels)	/		\$49.30	VN-IKV20A	







 <p>Onvif HOT</p> <ul style="list-style-type: none"> ◆ 5" Metal IR Dome IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 5 X 30 pcs, IR Range: 30M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Bracket(600g) add \$4 ◆ Working Temperature: -10℃~ +60℃ ◆ 27PCS Per Carton ◆ Size: 149mm x 99mm ◆ Weight: 1100g 			<p>H.264+</p>	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	<p>2.8-12mm Manual Zoom Lens(2M Pixels)</p>	<p>Built-in PoE Optional(add \$3)</p>	Optional (add 8USD)	\$31	VN-IEV10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$34	VN-IEV13E	
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$34	VN-IEV20C	
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$44	VN-IEV20V	
				<p>H.265</p>	1080P			1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)	\$39	VN-IEV20F
					1080P			1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)	\$45	VN-IEV20
					4MP			1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	WiFi Optional (add \$5)	\$54	VN-IEV40
				<p>H.264+</p>	5MP			1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	WiFi Optional (add \$5)	\$113	VN-IEV50
					1080P			1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)	Optional (add 10USD)	\$58	VN-IEV20A



 <p>Onvif HOT</p> <ul style="list-style-type: none"> ◆ 5" Metal IR Dome IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 5 X 30 pcs, IR Range: 25M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 27PCS Per Carton ◆ Size: 135mm x 110mm ◆ Weight: 2.3kg 			<p>H.264+</p>	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	<p>2.8-12mm Manual Zoom Lens(2M Pixels)</p>	<p>Built-in PoE Optional(add \$3)</p>	Optional (add 8USD)	\$31	VN-IFV10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$34	VN-IFV13E	
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$34	VN-IFV20C	
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$44	VN-IFV20V	
				<p>H.265</p>	1080P			1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)	\$39	VN-IFV20F
					1080P			1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)	\$45	VN-IFV20
					4MP			1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	WiFi Optional (add \$5)	\$54	VN-IFV40
				<p>H.264+</p>	5MP			1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	WiFi Optional (add \$5)	\$113	VN-IFV50
					1080P			1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)	Optional (add 10USD)	\$58	VN-IFV20A










IV Megapixel Fixed Lens IP Bullet Camera



Product Image	Specification	Chipset	Lens	PoE	Wifi	(USD/unit)	Model No.
 <p>Onvif</p> <ul style="list-style-type: none"> ◆ Waterproof Plastic IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 5X24pcs, IR Range: 20M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut 	<p>H.264+</p>	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	<p>External PoE Optional(add \$4)</p>	/	\$13.80	VN-AB10H
		960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps		/	\$16.30	VN-AB13E
		1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps		/	\$16.30	VN-AB20C
		1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps		/	\$24.80	VN-AB20V










	<ul style="list-style-type: none"> ◆ Working Temperature: -10°C ~ +60°C ◆ 60PCS Per Carton ◆ Size: 86mm x 60mm x 55mm ◆ Weight: 580g 	H.265	1080P 1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$20.80	VN-AB20F
		H.265	1080P 1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$26.30	VN-AB20
 <p>ONVIF</p> <ul style="list-style-type: none"> ◆ Waterproof Plastic IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: ① 5X24pcs, IR Range: 20M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10°C ~ +60°C ◆ 60PCS Per Carton ◆ Size: 86mm x 60mm x 55mm ◆ Weight: 580g 		H.264+	720P 1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps		Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$16.30	VN-YB10H
	H.264+	960P 1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	3.6mm(2M Pixels)			Optional (add 8USD)	\$18.80	VN-YB13E
	H.264+	1080P 1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps				Optional (add 10USD)	\$18.80	VN-YB20C
	H.264+	1080P 1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)			Optional (add 10USD)	\$27.80	VN-YB20V
	H.265	1080P 1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)			Optional (add 10USD)	\$23.30	VN-YB20F
	H.265	1080P 1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)			Optional (add 10USD)	\$28.80	VN-YB20
	H.265	4MP 1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)		WiFi Optional (add \$5)	\$37.80	VN-YB40	
	H.265	5MP 1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$92.80	VN-YB50


 	<ul style="list-style-type: none"> Waterproof Plastic IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X24pcs, IR Range: 20M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10$^{\circ}$C~ +60$^{\circ}$C 60PCS Per Carton Size: 86mm x 60mm x 55mm Weight: 580g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	/	\$15.30	VN-AAB10H	
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$17.80	VN-AAB13E	
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$17.80	VN-AAB20C	
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			/	\$26.30	VN-AAB20V	
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$22.30	VN-AAB20F	
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$27.30	VN-AAB20	
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)		/	\$35.80	VN-AAB40	
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		/	\$92.80	VN-AAB50	
			External PoE Optional(add \$4)							
 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X30pcs, IR Range: 30M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10$^{\circ}$C~ +60$^{\circ}$C 40PCS Per Carton Size: 55mm x 85mm x 80mm Weight: 580g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	Optional (add 8USD)	\$15.80	VN-FB10H	
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$18.30	VN-FB13E	
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$18.30	VN-FB20C	
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$26.80	VN-FB20V	
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		Optional (add 10USD)	\$22.80	VN-FB20F	
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)	\$27.80	VN-FB20	
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)		WiFi Optional (add \$5)	\$36.80	VN-FB40	
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		WiFi Optional (add \$5)	\$93.30	VN-FB50	
			External PoE Optional(add \$4)							
 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X30pcs, IR Range: 30M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10$^{\circ}$C~ +60$^{\circ}$C 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$17	VN-KB10H	
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$20	VN-KB13E	
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$20	VN-KB20C	
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$29	VN-KB20V	
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		Optional (add 10USD)	\$24	VN-KB20F	
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)	\$30	VN-KB20	
			External PoE Optional(add \$4)							








	<ul style="list-style-type: none"> ◆ 40PCS Per Carton ◆ Size: 85mm x 60mm x55mm ◆ Weight: 580g 		<table border="1"> <tr> <td>4MP</td> <td>1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps</td> <td>3.6mm(3M Pixels)</td> <td rowspan="2">External PoE Optional(add \$4)</td> <td>WiFi Optional (add \$5)</td> <td>\$39</td> <td>VN-KB40</td> </tr> <tr> <td>5MP</td> <td>1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps</td> <td>3.6mm(5M Pixels)</td> <td>WiFi Optional (add \$5)</td> <td>\$96</td> <td>VN-KB50</td> </tr> </table>	4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)	External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$39	VN-KB40	5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)	WiFi Optional (add \$5)	\$96	VN-KB50																																					
4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)	External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$39	VN-KB40																																															
5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		WiFi Optional (add \$5)	\$96	VN-KB50																																															
 	<ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: C 5X30pcs, IR Range: 25M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 40PCS Per Carton ◆ Size: 177mm x 85mm x 80mm ◆ Weight: 580g 		<table border="1"> <tr> <td>720P</td> <td>1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps</td> <td rowspan="3">3.6mm(2M Pixels)</td> <td rowspan="10">External PoE Optional(add \$4)</td> <td>Optional (add 8USD)</td> <td>\$15.80</td> <td>VN-BB10H</td> </tr> <tr> <td>960P</td> <td>1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps</td> <td rowspan="2">Optional (add 8USD)</td> <td>\$18.30</td> <td>VN-BB13E</td> </tr> <tr> <td>1080P</td> <td>1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps</td> <td>Optional (add 10USD)</td> <td>\$18.30</td> <td>VN-BB20C</td> </tr> <tr> <td>1080P</td> <td>1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</td> <td>3.6mm(3M Pixels)</td> <td>Optional (add 10USD)</td> <td>\$26.80</td> <td>VN-BB20V</td> </tr> <tr> <td>1080P</td> <td>1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</td> <td>3.6mm(2M Pixels)</td> <td>Optional (add 10USD)</td> <td>\$22.80</td> <td>VN-BB20F</td> </tr> <tr> <td>1080P</td> <td>1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps</td> <td>3.6mm(3M Pixels)</td> <td>Optional (add 10USD)</td> <td>\$27.80</td> <td>VN-BB20</td> </tr> <tr> <td>4MP</td> <td>1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps</td> <td>3.6mm(3M Pixels)</td> <td>WiFi Optional (add \$5)</td> <td>\$36.80</td> <td>VN-BB40</td> </tr> <tr> <td>5MP</td> <td>1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps</td> <td>3.6mm(5M Pixels)</td> <td>WiFi Optional (add \$5)</td> <td>\$94.30</td> <td>VN-BB50</td> </tr> </table>	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	Optional (add 8USD)	\$15.80	VN-BB10H	960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	Optional (add 8USD)	\$18.30	VN-BB13E	1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)	\$18.30	VN-BB20C	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	Optional (add 10USD)	\$26.80	VN-BB20V	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)	Optional (add 10USD)	\$22.80	VN-BB20F	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	Optional (add 10USD)	\$27.80	VN-BB20	4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)	WiFi Optional (add \$5)	\$36.80	VN-BB40	5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)	WiFi Optional (add \$5)	\$94.30	VN-BB50			
		720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)			Optional (add 8USD)	\$15.80	VN-BB10H																																											
		960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps					Optional (add 8USD)	\$18.30	VN-BB13E																																											
		1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)			\$18.30	VN-BB20C																																											
		1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)		\$26.80	VN-BB20V																																												
		1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		Optional (add 10USD)		\$22.80	VN-BB20F																																												
		1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)		\$27.80	VN-BB20																																												
		4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)		WiFi Optional (add \$5)		\$36.80	VN-BB40																																												
		5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		WiFi Optional (add \$5)		\$94.30	VN-BB50																																												



  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X30pcs, IR Range: 25M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10°C ~ +60°C 60PCS Per Carton Size: 92mm x 62mm x 58mm Weight: 650g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$15.80	VN-ACB10H				
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$18.30	VN-ACB13E				
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$18.30	VN-ACB20C				
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$26.80	VN-ACB20V				
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)		\$22.80	VN-ACB20F					
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)		\$27.80	VN-ACB20					
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	External PoE Optional(add \$4)		WiFi Optional (add \$5)	\$36.80	VN-ACB40				
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps			WiFi Optional (add \$5)	\$94.30	VN-ACB50				
			  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X30pcs, IR Range: 25M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10°C ~ +60°C 40PCS Per Carton Size: 92mm x 62mm x 58mm Weight: 600g 	H.264+		720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$15.80	VN-GB10H
							960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$18.30	VN-GB13E
1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)				\$18.30	VN-GB20C						
1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)				\$26.80	VN-GB20V						
H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$22.80	VN-GB20F						
	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$27.80	VN-GB20						
	4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps			External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$36.80	VN-GB40					
	5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps				WiFi Optional (add \$5)	\$94.30	VN-GB50					
	  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP67 IR LED: \leq 5X36pcs, IR Range: 30M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10°C ~ +60°C 			H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)		Optional (add 8USD)	\$17.80	VN-ADB10H
						960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps				Optional (add 8USD)	\$20.30	VN-ADB13E
1080P			1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)		\$20.30	VN-ADB20C						
1080P			1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)		\$28.80	VN-ADB20V						
H.265			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)	\$24.80	VN-ADB20F						
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)	\$29.80	VN-ADB20						










	<ul style="list-style-type: none"> ◆ 40PCS Per Carton ◆ Size: 175mm x 69mm x 55mm ◆ Weight: 900g 	H.265	4MP 1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)	External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$38.80	VN-ADB40
			5MP 1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		WiFi Optional (add \$5)	\$96.80	VN-ADB50
 	<ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: <math>\leq 5X30</math>pcs, IR Range: 30M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 40PCS Per Carton ◆ Size: 177mm x 85mm x 80mm ◆ Weight: 580g 	H.264+	720P 1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	Optional (add 8USD)	\$17.80	VN-CB10H
960P 1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	Optional (add 8USD)	\$20.30	VN-CB13E					
1080P 1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)	\$20.30	VN-CB20C					
1080P 1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	Optional (add 10USD)	\$28.80	VN-CB20V				
1080P 1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)	Optional (add 10USD)	\$24.80	VN-CB20F				
1080P 1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	Optional (add 10USD)	\$29.80	VN-CB20				
4MP 1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)	WiFi Optional (add \$5)	\$38.80	VN-CB40				
5MP 1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)	WiFi Optional (add \$5)	\$96.80	VN-CB50				

  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \odot 5X24pcs, IR Range: 25M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$ 60PCS Per Carton Size: 177mm x 85mm x 80mm Weight: 580g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$18	VN-EB10H	
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$20	VN-EB13E	
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$20	VN-EB20C	
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	/	\$29	VN-EB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(2M Pixels)	/	\$25	VN-EB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	/	\$30	VN-EB20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps			3.6mm(3M Pixels)	/	\$39	VN-EB40
  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \odot 5X36pcs, IR Range: 30M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$ 40PCS Per Carton Size: 160mm x 100mm x 110mm Weight: 900g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$19	VN-AEB10H	
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$21	VN-AEB13E	
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$21	VN-AEB20C	
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	Optional (add 10USD)	\$30	VN-AEB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(2M Pixels)	Optional (add 10USD)	\$26	VN-AEB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	Optional (add 10USD)	\$31	VN-AEB20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps			3.6mm(3M Pixels)	External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$40
5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)	External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$96	VN-AEB50				
  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \odot 5X36pcs, IR Range: 30M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$ 40PCS Per Carton Size: 160mm x 100mm x 110mm 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$19	VN-AFB10H	
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$21	VN-AFB13E	
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$21	VN-AFB20C	
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	Optional (add 10USD)	\$30	VN-AFB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(2M Pixels)	Optional (add 10USD)	\$26	VN-AFB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.6mm(3M Pixels)	Optional (add 10USD)	\$31	VN-AFB20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps			3.6mm(3M Pixels)	External PoE	WiFi Optional (add \$5)	\$40


	◆ Weight: 900g		5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)	Optional(add \$4)	WiFi Optional (add \$5)	\$96	VN-AFB50	
	<ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP67 ◆ IR LED: 3 pcs IR Leds, IR Range: 30M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 40PCS Per Carton ◆ Size: 175mm x 75mm x 75mm ◆ Weight: 950g 		720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$20	VN-AGB10H	
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$23	VN-AGB13E	
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$23	VN-AGB20C	
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)	\$32	VN-AGB20V	
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		Optional (add 10USD)	\$27	VN-AGB20F	
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)	\$33	VN-AGB20	
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)		WiFi Optional (add \$5)	\$42	VN-AGB40	
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$98	VN-AGB50







 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 6pcs, IR Range: 25M Video Output: 1 x RJ45 port Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃~ +60℃ 40PCS Per Carton Size: 177mm x 85mm x 80mm Weight: 580g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	/	\$17	VN-HB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$19	VN-HB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$19	VN-HB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			/	\$28	VN-HB20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/		\$23	VN-HB20F	
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	/		\$29	VN-HB20	
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	/		\$38	VN-HB40	
 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 6pcs, IR Range: 30M Obscured glass, hidden IR Led Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃~ +60℃ 40PCS Per Carton Size: 160mm x 100mm x 110mm Weight: 900g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$19	VN-JB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$21	VN-JB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$21	VN-JB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$31	VN-JB20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)		\$26	VN-JB20F	
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	Optional (add 10USD)		\$31	VN-JB20	
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	WiFi Optional (add \$5)		\$40	VN-JB40	
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	WiFi Optional (add \$5)		\$96	VN-JB50	
			  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 2 pcs IR-III LED, IR Range: 30M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Bracket Optional(add \$2) Working Temperature: -10℃~ +60℃ 	H.264+		720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)
960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	Optional (add 8USD)				\$19	VN-PB13E		
1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)				\$19	VN-PB20C		
H.265	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$28	VN-PB20V		
	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$24	VN-PB20F		
	1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$29	VN-PB20		




	<ul style="list-style-type: none"> ◆ 24PCS Per Carton with Bracket ◆ Size: 160mm x 100mm x 110mm ◆ Weight: 900g 	4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination, Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)		WiFi Optional (add \$5)	\$38	VN-PB40	
		5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6mm(5M Pixels)		WiFi Optional (add \$5)	\$95	VN-PB50	
 <p>NEW PRODUCT</p> <ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 4 pcs IR-III LED, IR Range: 80M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Bracket Optional(add \$2) ◆ Working Temperature: -10℃~ +60℃ ◆ 40PCS Per Carton/24PCS Per Carton with Bracket ◆ Size: 190mm x 90mm x 800mm ◆ Weight: 900g 		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$21	VN-NB10H
		960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	Optional (add 8USD)			\$23	VN-NB13E	
		1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	Optional (add 10USD)			\$23	VN-NB20C	
		H.265	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)	\$32	VN-NB20V
		1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)	Optional (add 10USD)		\$28	VN-NB20F	
		1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)	Optional (add 10USD)		\$33	VN-NB20	
		4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination, Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	3.6mm(3M Pixels)	WiFi Optional (add \$5)		\$42	VN-NB40	













  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 2 pcs IR-III LED, IR Range: 50M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Bracket Optional(add \$2) Working Temperature: -10℃~ +60℃ 24PCS Per Carton Size: 212mm x 93mm x 110mm Weight: 1800g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	CS Lens 8mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$21	VN-QB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$23	VN-QB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$23	VN-QB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$33	VN-QB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$28	VN-QB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$34	VN-QB20
  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 4 pcs IR-III LEDs, IR Range: 80M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Bracket Optional(add \$2) Working Temperature: -10℃~ +60℃ 16PCS Per Carton Size: 275mm x 113mm x 139mm Weight: 2300g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	CS Lens 12mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$23	VN-RB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$25	VN-RB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$25	VN-RB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$35	VN-RB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$30	VN-RB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$36	VN-RB20
  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 42X2PCS, IR Range: 40M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃~ +60℃ 24PCS Per Carton Size: 220mm x 90mm x 110mm Weight: 1500g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	CS Lens 12mm(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$28	VN-SB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$30	VN-SB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$30	VN-SB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$40	VN-SB20V
			1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$35	VN-SB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$41	VN-SB20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	CS Lens 12mm(3M Pixels)	WiFi Optional (add \$5)	\$50	VN-SB40	



V Megapixel Varifocal Lens IP Bullet Camera







Product Image	Specification	Chipset		Lens	PoE	WiFi	(USD/unit)	Model No.		
	<ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP67 ◆ IR LED: C 5X42pcs, IR Range: 40M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: $-10^{\circ}\text{C} \sim +60^{\circ}\text{C}$ ◆ 30PCS Per Carton ◆ Size: 228mm x 97mm x 82mm ◆ Weight: 1500g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$26.30	VN-AAV10H	
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$28.30	VN-AAV13E	
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$28.30	VN-AAV20C	
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)	\$38.80	VN-AAV20V
		H.265	Cut	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	External PoE Optional(add \$4)	Optional (add 10USD)	\$33.80	VN-AAV20F
					1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$39.30	VN-AAV20
				4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$48.80	VN-AAV40
					1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, B/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$59.80	VN-AAV40A
					1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, B/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$108.80	VN-AAV50
				H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)		2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$53.30


 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP67 IR LED: 6 pcs IR Leds, IR Range: 60M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃~ +60℃ 30PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1700g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE	Optional (add 8USD)	\$30	VN-ABV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$32	VN-ABV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$32	VN-ABV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$42	VN-ABV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 10USD)	\$37	VN-ABV20F	
			4MP	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)	\$43	VN-ABV20	
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)	WiFi Optional (add \$5)	\$52	VN-ABV40	
			5MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)	WiFi Optional (add \$5)	\$63	VN-ABV40A	
		1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps		3.6-10mm Manual Zoom Lens(5M Pixels)	WiFi Optional (add \$5)	\$112	VN-ABV50		
		H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)	2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$57	VN-ABV20A	
 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 5X42pcs, IR Range: 40M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃~ +60℃ 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1400g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE	Optional (add 8USD)	\$26	VN-ACV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$28	VN-ACV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$28	VN-ACV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$38	VN-ACV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 10USD)	\$34	VN-ACV20F	
			4MP	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)	\$40	VN-ACV20	
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)	WiFi Optional (add \$5)	\$49	VN-ACV40	
			5MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)	WiFi Optional (add \$5)	\$59	VN-ACV40A	
		1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps		3.6-10mm Manual Zoom Lens(5M Pixels)	WiFi Optional (add \$5)	\$108	VN-ACV50		
		H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)	2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$53	VN-ACV20A	
 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 5X42pcs, IR Range: 40M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE	Optional (add 8USD)	\$26	VN-ADV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$28	VN-ADV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$28	VN-ADV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$38	VN-ADV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 10USD)	\$33	VN-ADV20F	
			4MP	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)	\$39	VN-ADV20	
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)	WiFi Optional (add \$5)	\$48	VN-ADV40	

	<ul style="list-style-type: none"> Working Temperature: -10°C ~ +60°C 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1400g 		<ul style="list-style-type: none"> 1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination, Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps 	2.8-12mm 4X motorized zoom lens(3M Pixels)	External PoE Optional(add \$4)	WiFi Optional (add \$5)	\$58	VN-ADV40A	
		5MP	<ul style="list-style-type: none"> 1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps 	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$108	VN-ADV50	
		H.264+ 1080P	<ul style="list-style-type: none"> 1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 	2.8-12mm 4X motorized zoom lens(3M Pixels)		Optional (add 10USD)	\$52	VN-ADV20A	
  	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: 5X42pcs, IR Range: 40M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10°C ~ +60°C 24PCS Per Carton Size: 200mm x 171mm x 83mm Weight: 1700g 	H.264+	720P	<ul style="list-style-type: none"> 1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps 	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 8USD)	\$23.30	VN-AV10	
			960P	<ul style="list-style-type: none"> 1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps 		Optional (add 8USD)	\$25.30	VN-AV13E	
			1080P	<ul style="list-style-type: none"> 1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps 		Optional (add 10USD)	\$25.30	VN-AV20C	
		H.265	4MP	1080P	<ul style="list-style-type: none"> 1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps 	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)	\$36.30	VN-AV20V
				1080P	<ul style="list-style-type: none"> 1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps 	2.8-12mm Manual Zoom Lens(2M Pixels)	Optional (add 10USD)	\$30.80	VN-AV20F
					<ul style="list-style-type: none"> 1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps 	2.8-12mm Manual Zoom Lens(3M Pixels)	Optional (add 10USD)	\$36.80	VN-AV20
				4MP	<ul style="list-style-type: none"> 1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination, Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps 	2.8-12mm Manual Zoom Lens(3M Pixels)	WiFi Optional (add \$5)	\$45.80	VN-AV40
					<ul style="list-style-type: none"> 1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination, Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps 	2.8-12mm 4X motorized zoom lens(3M Pixels)	WiFi Optional (add \$5)	\$56.80	VN-AV40A
				H.264+	1080P	<ul style="list-style-type: none"> 1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps 	3.6-10mm Manual Zoom Lens(5M Pixels)	WiFi Optional (add \$5)	\$105.80
		<ul style="list-style-type: none"> 1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 	2.8-12mm 4X motorized zoom lens(3M Pixels)			Optional (add 10USD)	\$50.30	VN-AV20A	





   	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X72pcs, IR Range: 60M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃ ~ +60℃ 16PCS Per Carton Size: 240mm x 186mm x 100mm Weight: 1900g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$25.30	VN-BV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$27.30	VN-BV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$27.30	VN-BV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$38.30	VN-BV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$32.80	VN-BV20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$38.80	VN-BV20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$47.80	VN-BV40
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$58.80	VN-BV40A
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$107.80	VN-BV50
			H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)		2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$52.30
   	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X42pcs, IR Range: 40M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃ ~ +60℃ 24PCS Per Carton Size: 228mm x 97mm x 82mm Weight: 1700g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$24.30	VN-FV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$26.30	VN-FV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$26.30	VN-FV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$37.30	VN-FV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$31.80	VN-FV20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$37.80	VN-FV20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$46.80	VN-FV40
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$57.80	VN-FV40A
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$106.80	VN-FV50
			H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)		2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$51.30
   	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X72pcs, IR Range: 60M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10℃ ~ +60℃ 16PCS Per Carton 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$26.30	VN-GV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$28.30	VN-GV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$28.30	VN-GV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$39.30	VN-GV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$33.80	VN-GV20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$39.80	VN-GV20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$48.80	VN-GV40
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$59.80	VN-GV40A




	<ul style="list-style-type: none"> ◆ Size: 228mm x 97mm x 82mm ◆ Weight: 1700g 		5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$108.80	VN-GV50	
		H.264+	1080P	1/2.5" Sony IMX323 + Hi3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)	2.8-12mm 4X motorized zoom lens(3M Pixels)		Optional (add 10USD)	\$53.30	VN-GV20A	
 <ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: C 5X42pcs, IR Range: 40M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10°C ~ +60°C ◆ 24PCS Per Carton ◆ Size: 280mm x 112mm x 85mm ◆ Weight: 1600g 		H.264+	720P	1/4" XM H42 + Hi3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$24	VN-IV10H	
			960P	1/3"AR0130 + Hi3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$27	VN-IV13E	
			1080P	1/3" F22 + Hi3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)			Optional (add 10USD)	\$27	VN-IV20C	
			1080P	1/2.5" Sony IMX323 + Hi3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$38	VN-IV20V	
			1080P	1/3" F22 + Hi3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$31	VN-IV20F	
			1080P	1/3" Sony IMX323 + Hi3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$38	VN-IV20	
		H.265	4MP	1/3" OV4689 + Hi3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$46	VN-IV40	
			4MP	1/3" OV4689 + Hi3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$56	VN-IV40A	
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$106	VN-IV50	
			H.264+	1080P	1/2.5" Sony IMX323 + Hi3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)		2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$51	VN-IV20A




 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X42pcs, IR Range: 40M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10$^{\circ}$C ~ +60$^{\circ}$C 24PCS Per Carton Size: 280mm x 112mm x 85mm Weight: 1600g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$25	VN-JV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$28	VN-JV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$28	VN-JV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$39	VN-JV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$32	VN-JV20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$39	VN-JV20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$47	VN-JV40
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$57	VN-JV40A
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$107	VN-JV50
			H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)		2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$52
 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X42pcs, IR Range: 40M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10$^{\circ}$C ~ +60$^{\circ}$C 24PCS Per Carton Size: 280mm x 112mm x 85mm Weight: 1600g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$24	VN-YAV10
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$27	VN-YAV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$27	VN-YAV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$38	VN-YAV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$31	VN-YAV20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$38	VN-YAV20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$46	VN-YAV40
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$56	VN-YAV40A
			5MP	1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux,8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$106	VN-YAV50
			H.264+	1080P	1/2.5" Sony IMX323 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)		2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$51
 	<ul style="list-style-type: none"> Waterproof IR Bullet IP Camera Water Resistance: IP66 IR LED: \leq 5X72pcs, IR Range: 60M Video Output: 1 x RJ45 port, wifi Optional Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL PNP(Plug and Play), support smart phone & tablets OSD, Motion Detection, Remote View and Control, IR-Cut Working Temperature: -10$^{\circ}$C ~ +60$^{\circ}$C 16PCS Per Carton 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$26	VN-ZAV10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$29	VN-ZAV13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$29	VN-ZAV20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$40	VN-ZAV20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$33	VN-ZAV20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$40	VN-ZAV20
			4MP	1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$48	VN-ZAV40
				1/3" OV4689 + HI3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$58	VN-ZAV40A




	<ul style="list-style-type: none"> ◆ Size: 300mm x 125mm x 105mm ◆ Weight: 1800g 		5MP 1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$108	VN-ZAV50
		H.264+	1080P 1/2.5" Sony IMX323 + Hi3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)	2.8-12mm 4X motorized zoom lens(3M Pixels)		Optional (add 10USD)	\$53	VN-ZAV20A
	<ul style="list-style-type: none"> ◆ Waterproof IR Bullet IP Camera ◆ Water Resistance: IP66 ◆ IR LED: 42X4PCS, IR Range: 80M ◆ Video Output: 1 x RJ45 port, wifi Optional ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 16PCS Per Carton ◆ Size: 280mm x 112mm x 85mm ◆ Weight: 2800g 		720P 1/4" XM H42 + Hi3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	2.8-12mm Manual Zoom Lens(2M Pixels)	Built-in PoE Optional(add \$3)	Optional (add 8USD)	\$32	VN-PAV10H
		H.264+	960P 1/3"AR0130 + Hi3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps				Optional (add 8USD)	\$35
			1080P 1/3" F22 + Hi3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$35	VN-PAV20C
			1080P 1/2.5" Sony IMX323 + Hi3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$45	VN-PAV20V
			1080P 1/3" F22 + Hi3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(2M Pixels)		Optional (add 10USD)	\$39	VN-PAV20F
			1080P 1/3" Sony IMX323 + Hi3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	2.8-12mm Manual Zoom Lens(3M Pixels)		Optional (add 10USD)	\$46	VN-PAV20
			H.265 4MP 1/3" OV4689 + Hi3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm Manual Zoom Lens(3M Pixels)		WiFi Optional (add \$5)	\$54	VN-PAV40
			4MP 1/3" OV4689 + Hi3516D 4MP HD CMOS Sensor, Low illumination,Color 0.01Lux, 8/W 0.001Lux Main Stream: 4MP 2592*1520@15fps 3MP 2048*1536@25fps	2.8-12mm 4X motorized zoom lens(3M Pixels)		WiFi Optional (add \$5)	\$62	VN-PAV40A
			5MP 1/2.5" SONY IMX 178 5MP HD CMOS Sensor, 2D/3D NR, color 0.01Lux, 8/W 0.001Lux Main Stream: 5MP 2592*1944@25fps 3MP 2048*1536@25fps	3.6-10mm Manual Zoom Lens(5M Pixels)		WiFi Optional (add \$5)	\$111	VN-PAV50
			H.264+	1080P 1/2.5" Sony IMX323 + Hi3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080)		2.8-12mm 4X motorized zoom lens(3M Pixels)	Optional (add 10USD)	\$56

VI Mini and Spy IP Camera

Product Image	Specification	Chipset		Lens	PoE	WiFi	(USD/unit)	Model No.	
 <p>ONVIF</p> <p>NEW ARRIVAL</p> <ul style="list-style-type: none"> ◆ Mini IP Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control ◆ Working Temperature: -10℃~ +60℃ ◆ 50PCS Per Carton ◆ Size: 40mm x 25mm x 40mm ◆ Weight: 300g 	<ul style="list-style-type: none"> ◆ Mini IP Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control ◆ Working Temperature: -10℃~ +60℃ ◆ 50PCS Per Carton ◆ Size: 40mm x 25mm x 40mm ◆ Weight: 300g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	External PoE Optional(add \$4)	Optional (add 8USD)	\$14	VN-AP10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$16	VN-AP13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$16	VN-AP20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$25	VN-AP20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		Optional (add 10USD)	\$20	VN-AP20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		Optional (add 10USD)	\$26	VN-AP20
 <p>ONVIF</p> <p>NEW ARRIVAL</p> <ul style="list-style-type: none"> ◆ Mini IP Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control ◆ Working Temperature: -10℃~ +60℃ ◆ 50PCS Per Carton ◆ Size: 40mm x 25mm x 40mm ◆ Weight: 300g 	<ul style="list-style-type: none"> ◆ Mini IP Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control ◆ Working Temperature: -10℃~ +60℃ ◆ 50PCS Per Carton ◆ Size: 40mm x 25mm x 40mm ◆ Weight: 300g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.7mm Taper Pinhole Lens(2M pixel)	External PoE Optional(add \$4)	Optional (add 8USD)	\$16	VN-BP10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			Optional (add 8USD)	\$18	VN-BP13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			Optional (add 10USD)	\$18	VN-BP20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$27	VN-BP20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.7mm Taper Pinhole Lens(2M pixel)		Optional (add 10USD)	\$22	VN-BP20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.7mm Taper Pinhole Lens(3M pixel)		Optional (add 10USD)	\$28	VN-BP20
 <p>ONVIF</p> <ul style="list-style-type: none"> ◆ Smoke Detector Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 24PCS Per Carton ◆ Size: 119mm x 56mm ◆ Weight: 420g 	<ul style="list-style-type: none"> ◆ Smoke Detector Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 24PCS Per Carton ◆ Size: 119mm x 56mm ◆ Weight: 420g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.6mm(2M Pixels)	Built-in PoE Optional(add \$3)	/	\$14	VN-SCB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$16	VN-SCB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$16	VN-SCB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$25	VN-SCB20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(2M Pixels)		/	\$21	VN-SCB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.6mm(3M Pixels)		/	\$26	VN-SCB20
 <p>ONVIF</p> <ul style="list-style-type: none"> ◆ PIR style Spy Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 60PCS Per Carton ◆ Size: 70mm x 40mm x 119mm ◆ Weight: 450g 	<ul style="list-style-type: none"> ◆ PIR style Spy Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 60PCS Per Carton ◆ Size: 70mm x 40mm x 119mm ◆ Weight: 450g 	H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.7mm Taper Pinhole Lens(2M Pixels)	External PoE Optional(add \$4)	/	\$15	VN-SDB10H
			960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps			/	\$18	VN-SDB13E
			1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps			/	\$18	VN-SDB20C
			1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			Optional (add 10USD)	\$26	VN-SDB20V
		H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.7mm Taper Pinhole Lens(2M Pixels)		/	\$22	VN-SDB20F
			1080P	1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.7mm Taper Pinhole Lens(3M Pixels)		/	\$27	VN-SDB20

 <p>Onvif</p> <ul style="list-style-type: none"> ◆ PIR style Spy Camera ◆ IR LED: 14μX 18pcs Invisible IR LED, IR Range: 15M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 60PCS Per Carton ◆ Size: 70mm x 40mm x 119mm ◆ Weight: 450g <p>Audio</p>		<ul style="list-style-type: none"> ◆ PIR style Spy Camera ◆ IR LED: 14μX 18pcs Invisible IR LED, IR Range: 15M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 60PCS Per Carton ◆ Size: 70mm x 40mm x 119mm ◆ Weight: 450g 		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.7mm Taper Pinhole Lens(2M Pixels)	External PoE Optional(add \$4)	/	\$22	VN-SEB10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	/			\$25	VN-SEB13E		
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	/			\$25	VN-SEB20C		
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.7mm Taper Pinhole Lens(3M Pixels)			/	\$33	VN-SEB20V	
				H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.7mm Taper Pinhole Lens(2M Pixels)	/	\$29	VN-SEB20F
						1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.7mm Taper Pinhole Lens(3M Pixels)	/	\$34	VN-SEB20

 <p>Onvif</p> <ul style="list-style-type: none"> ◆ PIR style Spy Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 40PCS Per Carton ◆ Size: 70mm x 50mm x 130mm ◆ Weight: 500g 		<ul style="list-style-type: none"> ◆ PIR style Spy Camera ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 40PCS Per Carton ◆ Size: 70mm x 50mm x 130mm ◆ Weight: 500g 		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.7mm Taper Pinhole Lens(2M Pixels)	Built-in PoE Optional(add \$4)	/	\$16	VN-SFB10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	/			\$19	VN-SFB13E		
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	/			\$19	VN-SFB20C		
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.7mm Taper Pinhole Lens(3M Pixels)			/	\$27	VN-SFB20V	
				H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.7mm Taper Pinhole Lens(2M Pixels)	/	\$23	VN-SFB20F
						1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.7mm Taper Pinhole Lens(3M Pixels)	/	\$28	VN-SFB20

 <p>Onvif</p> <ul style="list-style-type: none"> ◆ PIR style Spy Camera ◆ IR LED: 14μX 48pcs Invisible IR LED, IR Range: 15M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 40PCS Per Carton ◆ Size: 70mm x 50mm x 130mm ◆ Weight: 500g <p>Audio</p>		<ul style="list-style-type: none"> ◆ PIR style Spy Camera ◆ IR LED: 14μX 48pcs Invisible IR LED, IR Range: 15M ◆ Video Output: 1 x RJ45 port ◆ Support Onvif, Support Gmail/GOOGLE/QQ/EMAIL ◆ PNP(Plug and Play), support smart phone & tablets ◆ OSD, Motion Detection, Remote View and Control, IR-Cut ◆ Working Temperature: -10℃~ +60℃ ◆ 40PCS Per Carton ◆ Size: 70mm x 50mm x 130mm ◆ Weight: 500g 		H.264+	720P	1/4" XM H42 + HI3518E 1.0 Mega Pixels CMOS, 720P(1280*720), 720P@20fps	3.7mm Taper Pinhole Lens(2M Pixels)	External PoE Optional(add \$4)	/	\$23	VN-SGB10H	
				960P	1/3"AR0130 + HI3518EV200 1.3 Mega Pixels CMOS, Low illumination, 960P(1280*960),960P/720P@30fps	/			\$26	VN-SGB13E		
				1080P	1/3" F22 + HI3516CV200 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P@15fps, 720P@30fps	/			\$26	VN-SGB20C		
				1080P	1/2.5" Sony IMX323 + HI3516CV200 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps	3.7mm Taper Pinhole Lens(3M Pixels)			/	\$34	VN-SGB20V	
				H.265	1080P	1/3" F22 + HI3516CV300 2 Mega Pixels CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.7mm Taper Pinhole Lens(2M Pixels)	/	\$30	VN-SGB20F
						1/3" Sony IMX323 + HI3516CV300 2 MP CMOS, Low illumination, 1080P(1920*1080) 1080P/720P@30fps			3.7mm Taper Pinhole Lens(3M Pixels)	/	\$35	VN-SGB20

Ethernet over Coax(EoC) Transceiver

Product Image	Specification	Features	(USD/unit)	Model No.
	<ul style="list-style-type: none"> ◆ Ethernet over Coax(EoC) Transceiver ◆ Work as transmitter/Receiver for IP Camera signals. ◆ Support all brands of IP Cameras. ◆ Transmit over Coax up to 2km. ◆ Transmit over Twisted-pair up to 1.2km. ◆ Two Boxes can be used for 8 IP Cameras. ◆ Size: 80mm*72mm*20mm ◆ Weight: 900g 	<ul style="list-style-type: none"> ◆ Cost-saving magical box for IP Camera wiring. ◆ Transfer IP Camera signal via Coaxial Cable(Max 2km)/ Twisted Pair cable(Max 1.2km) ◆ One pair can transmit signal for 8pcs 720P IPC; 6pcs 960P IPC; 4pcs 1080P IPC. 	\$56	VD-IPCOAX

Trade Term:	Say US Dollars
Payment Term:	T/T, Paypal, Western Union and L/C
Warranty:	2 Years