

Comprehensive Security Solutions Inc.

"The Achievers of Security"


Address: 2nd Avenue Nurse Land, Tweedside Road, St. Michael, Barbados.


Tel: 1(246)266-3886 / Fax: 1(246)571-2315 / Email: comprehensivesecuritysolutions@caribsurf.com

DVR & NVR Price list (1080N,1080P, 4MP, 5MP HVR, 5 in 1 HVR, PoE NVR, 4K NVR, Monitor HVR)

I . 1080N HVR (5 in 1 HVR, compatible with IP, AHD, TVI, CVI, CVBS)

Product Image	Specifications	Accessories	(USD/unit)	Model No.
	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 4CH 1080N at 30 Fps(NTSC), 25 Fps(PAL) ◆ Playback: 4CH x 1080N at 30 Fps(NTSC), 25 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mmx230mmx45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$18.3	VD-A2104HN
	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 8CH 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 8CH x 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mmx230mmx45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$25.3	VD-A2108HN
	<ul style="list-style-type: none"> ◆ Solution: HI3521A ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, HDMI 1CH Out ◆ Audio Input/Output: RCA 2CH in, 1CH out ◆ Realtime Video Recording: 16CH x 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 16CH x 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 430mmx 300mmx 70mm ◆ Weight: 3.5 KG/ (2 SATA 4KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$41	VD-A2116HN
	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 4CH 1080N at 30 Fps(NTSC), 25 Fps(PAL) ◆ Playback: 4CH x 1080N at 30 Fps(NTSC), 25 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mmx230mmx45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$20	VD-A7104HN

 <p>8CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 8CH 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 8CH x 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm×230mm×45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$27</p>	<p>VD-A7108HN</p>
---	---	---	--------------------	--------------------------





 <p>16CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521A ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, HDMI 1CH Out ◆ Audio Input/Output: RCA 2CH in, 1CH out ◆ Realtime Video Recording: 16CH x 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 16CH x 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 430mm×300mm×70mm ◆ Weight: 3.5 KG/ (2 SATA 4KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$42</p>	<p>VD-A7116HN</p>
--	---	---	--------------------	--------------------------



II . 1080P HVR (5 in 1 HVR, compatible with IP, AHD, TVI, CVI, CVBS)



Product Image	Specifications	Accessories	(USD/unit)	Model No.
 <p>4CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 4CH 1080P at 30 Fps(NTSC), 25 Fps(PAL) ◆ Playback: 4CH x 1080P at 15 Fps(NTSC), 15 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm×230mm×45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$29</p>	<p>VD-2104HX</p>
 <p>8CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 8CH 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 8CH x 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm×230mm×45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$38</p>	<p>VD-2108HX</p>
 <p>16CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521A ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, HDMI 1CH Out ◆ Audio Input/Output: RCA 2CH in, 1CH out ◆ Realtime Video Recording: 16CH x 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 4CH x 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 430mm×300mm×70mm ◆ Weight: 3.5 KG/ (2 SATA 4KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$85</p>	<p>VD-2116HX</p>



  <p>4CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 4CH 1080P at 30 Fps(NTSC), 25 Fps(PAL) ◆ Playback: 4CH x 1080P at 15 Fps(NTSC), 15 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm×230mm×45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$30</p>	<p>VD-7104HX</p>
  <p>8CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 8CH 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 8CH x 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm×230mm×45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$39</p>	<p>VD-7108HX</p>
  <p>16CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521A ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, HDMI 1CH Out ◆ Audio Input/Output: RCA 2CH in, 1CH out ◆ Realtime Video Recording: 16CH x 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 4CH x 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 430mm× 300mm× 70mm ◆ Weight: 3.5 KG/ (2 SATA 4KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$86</p>	<p>VD-7116HX</p>



III. 4M, 3M HVR(5 in 1 HVR, compatible with IP, AHD, TVI, CVI, CVBS)

Product Image	Specifications	Accessories	(USD/unit)	Model No.
  <p>4CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out, 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) 4M: 4M at 8 Fps(NTSC), 8 Fps(PAL) ◆ Playback: 4CH x 1080P at 15Fps/4CH x 4M at 8Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm× 230mm× 45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$37</p>	<p>VD-2104HD</p>
  <p>8CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521A ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 8CH in, VGA 1CH out, 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) 4M: 4M at 8 Fps(NTSC), 8 Fps(PAL) ◆ Playback: 8CH x 1080P 12 Fps/8CH x 4M at 8Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm× 230mm× 45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$46</p>	<p>VD-2108HD</p>



  <p>16CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3531A ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 6CH in, 1CH out ◆ Alarm Input/Output: Alarm 4CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) 4M: 4M at 8 Fps(NTSC), 8 Fps(PAL) ◆ Playback: 8CH x 1080P at 12Fps/8CH x 4M at 8Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 330mmx245mmx50mm ◆ Weight: 3.5 KG/ (2 SATA 4KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$104	VD-2116HD
--	--	---	--------------	------------------

  <p>4CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out, HDMI 1CH Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) 4M: 4M at 8 Fps(NTSC), 8 Fps(PAL) ◆ Playback: <ul style="list-style-type: none"> 4CH x 1080P at 15Fps/4CH x 4M at 8Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ 1 SATA port(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 245mmx 330mmx 55mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$38	VD-7104HD
---	--	---	-------------	------------------




  <p>8CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521A ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 8CH in, VGA 1CH out, 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) 4M: 4M at 8 Fps(NTSC), 8 Fps(PAL) ◆ Playback: 8CH x 1080P 12 Fps/8CH x 4M at 8Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mmx 230mmx 45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$47	VD-7108HD
---	---	---	-------------	------------------






  <p>16CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3531A ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 2CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) 4M: 4M at 8 Fps(NTSC), 8 Fps(PAL) ◆ Playback: 8CH x 1080P at 12Fps/8CH x 4M at 8Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 330mmx245mmx50mm 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$105	VD-7116HD
--	---	---	--------------	------------------




IV. AHD 5M 4M HVR(1080P 5 in 1 HVR, compatitable with IP, AHD, TVI, CVI, CVBS)




Product Image	Specifications	Accessories	(USD/unit)	Model No.
  <p>4CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521A ◆ Operating System: LINUX, Compression Mode: H.264+/H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out, 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) (5-in-1) 5M: 5M at 11 Fps(NTSC), 11 Fps(PAL)(AHD) 4M: 4M at 25 Fps(NTSC), 25 Fps(PAL)(AHD) ◆ Playback: 4CH x 5M at 11Fps/4CH x 4M at 15Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mmx 230mmx 45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 3A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$47	VD-2104HS




<p>NEW ARRIVAL</p>  <p>8CH HVR (2 SATA add \$4, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution:HI3531A ◆ Operating System: LINUX, Compression Mode: H.264+/H.264 ◆ Video Input/Output: BNC 8CH in, VGA 1CH out, 1 x HDMI (1080P) Out (Max 4K) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) (5-in-1) 5M: 5M at 11 Fps(NTSC), 11 Fps(PAL)(AHD) 4M: 4M at 25 Fps(NTSC), 25 Fps(PAL)(AHD) ◆ Playback: 8CH x 5M at 11Fps/8CH x 4M at 15Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 330mmx245mmx50mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 3A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$105</p>	<p>VD-2108HS</p>
<p>NEW ARRIVAL</p>  <p>16CH HVR (2 SATA, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution:HI3531A*2 ◆ Operating System: LINUX, Compression Mode: H.264+/H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, 1 x HDMI (1080P) Out (Max 4K) Out ◆ Audio Input/Output: RCA 2CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) (5-in-1) 5M: 5M at 11 Fps(NTSC), 11 Fps(PAL)(AHD) 4M: 4M at 25 Fps(NTSC), 25 Fps(PAL)(AHD) ◆ Playback: 8CH x 5M at 11Fps/8CH x 4M at 15Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 2SATA ports(Max 12TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 330mmx245mmx50mm ◆ Weight: 4 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$175</p>	<p>VD-2216HS</p>
<p>NEW ARRIVAL</p>  <p>4CH HVR (2 SATA, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521A ◆ Operating System: LINUX, Compression Mode: H.264+/H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out, 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) (5-in-1) 5M: 5M at 11 Fps(NTSC), 11 Fps(PAL)(AHD) 4M: 4M at 25 Fps(NTSC), 25 Fps(PAL)(AHD) ◆ Playback: 4CH x 5M at 11Fps/4CH x 4M at 15Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mmx 230mmx 45mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 3A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$48</p>	<p>VD-7104HS</p>
<p>NEW ARRIVAL</p>  <p>8CH HVR (2 SATA, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution:HI3531A ◆ Operating System: LINUX, Compression Mode: H.264+/H.264 ◆ Video Input/Output: BNC 8CH in, VGA 1CH out, 1 x HDMI (1080P) Out (Max 4K) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) (5-in-1) 5M: 5M at 11 Fps(NTSC), 11 Fps(PAL)(AHD) 4M: 4M at 25 Fps(NTSC), 25 Fps(PAL)(AHD) ◆ Playback: 8CH x 5M at 11Fps/8CH x 4M at 15Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 330mmx245mmx50mm ◆ Weight: 2 KG/ (2 SATA 2.5KG) 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 3A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$106</p>	<p>VD-7108HS</p>
<p>NEW ARRIVAL</p>  <p>16CH HVR (2 SATA, Alarm add \$2)</p>	<ul style="list-style-type: none"> ◆ Solution:HI3531A*2 ◆ Operating System: LINUX, Compression Mode: H.264+/H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, 1 x HDMI (1080P) Out (Max 4K) Out ◆ Audio Input/Output: RCA 2CH in, 1CH out ◆ Realtime Video Recording: <ul style="list-style-type: none"> 1080P: 1920 x 1080 at 30 Fps(NTSC), 25 Fps(PAL) (5-in-1) 5M: 5M at 11 Fps(NTSC), 11 Fps(PAL)(AHD) 4M: 4M at 25 Fps(NTSC), 25 Fps(PAL)(AHD) ◆ Playback: 8CH x 5M at 11Fps/8CH x 4M at 15Fps ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 2SATA ports(Max 12TB), USB2.0 ◆ 5 Pcs Per Carton ◆ Size: 330mmx245mmx50mm ◆ Weight: 4 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 6A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$176</p>	<p>VD-7216HS</p>
<p>V. 16/24/32CH AHD HVR (Project DVR, more SATA, Alarm)</p>				

Product Image	Specifications	Accessories	(USD/unit)	Model No.
 <p>16CH 1080P 8 SATA</p>	<ul style="list-style-type: none"> ◆ Solution: HI3531 + 3532 + NVP6114 ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 16CH in, VGA 1CH out, HDMI 1CH Out ◆ Audio Input/Output: RCA 16CH in, 1CH out ◆ Alarm: 8CH in, 4CH out ◆ Realtime Video Recording: 16CH x 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 16CH x 1080P at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 8 SATA ports(Max 48TB), USB2.0 ◆ 2 Pcs Per Carton ◆ Size: 443mm× 400mm× 92mm ◆ Weight: 8 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$253	VD-A9416HX
 <p>24CH 960P 8 SATA</p>	<ul style="list-style-type: none"> ◆ Solution: HI3531+HI3532 ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 24CH in, VGA 1CH out, HDMI 1CH Out ◆ Audio Input/Output: RCA 16CH in, 1CH out ◆ Alarm Input/Output: Alarm 8CH in/ 1CH out ◆ Realtime Video Recording: 24CH x 960P at 30Fps(NTSC), 25 Fps(PAL) ◆ Playback: 8CH x 960 at 30Fps(NTSC), 25 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 8 SATA ports(Max 48TB), USB2.0 ◆ 2 Pcs Per Carton ◆ Size: 443mm× 400mm× 92mm 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$268	VD-A9824HN
 <p>32CH 1080N 8 SATA</p>	<ul style="list-style-type: none"> ◆ Solution: HI3531+HI3532 ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 32CH in, VGA 1CH out, HDMI 1CH Out ◆ Audio Input/Output: RCA 16CH in, 1CH out ◆ Alarm Input/Output: Alarm 8CH in/ 1CH out ◆ Realtime Video Recording: 32CH x 1080N at 12Fps(NTSC), 12 Fps(PAL) ◆ Playback: 16CH x 1080N at 12Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 8 SATA ports(Max 48TB), USB2.0 ◆ 2 Pcs Per Carton ◆ Size: 443mm× 400mm× 92mm ◆ Weight: 12 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$304	VD-A9832HN
VI. H.264 1080P NVR				
Product Image	Specifications	Accessories	(USD/unit)	Model No.
 <p>ONVIF</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Recording: 1080P x 4CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 1CH ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 252mm× 213mm× 42mm ◆ Weight: 2.5 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$14.80	VN-2104A
 <p>ONVIF</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521A NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Recording: 1080P x 8CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 2CH ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 252mm× 213mm× 42mm ◆ Weight: 2.5 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$16.30	VN-2108A









	<ul style="list-style-type: none"> ◆ Solution: HI3531A NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Recording: 1080P x 16CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 4CH ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 252mm× 213mm× 42mm ◆ Weight: 3.5 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$26.30	VN-2116A
	<ul style="list-style-type: none"> ◆ Solution: HI3535 NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Audio Output: 16CH RCA in, 1CH out ◆ Video Recording: 1080P x 16CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 2CH ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 2 SATA ports(Max 12TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 390mm× 300mm× 110mm ◆ Weight: 4.5 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$39	VN-7216A
	<ul style="list-style-type: none"> ◆ Solution: HI3535 NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Audio Output: 24CH RCA in, 1CH out ◆ Video Recording: 1080P x 24CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 2CH ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 2 SATA ports(Max 12TB), USB2.0 ◆ 5 Pcs Per Carton ◆ Size: 390mm× 300mm× 110mm ◆ Weight: 8 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$45	VN-7224A
	<ul style="list-style-type: none"> ◆ Solution: HI3535 NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Audio Output: 32CH RCA in, 1CH out ◆ Video Recording: 1080P x 32CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 2CH ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 2 SATA ports(Max 12TB), USB2.0 ◆ 5 Pcs Per Carton ◆ Size: 390mm× 300mm× 110mm ◆ Weight: 8.5 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$50	VN-7232A
VII. H.264 5M, 4M, 3M, 1080P NVR				
Product Image	Specifications	Accessories	(USD/unit)	Model No.
	<ul style="list-style-type: none"> ◆ Solution: HI3535 NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Audio Output: 16CH RCA in, 1CH out ◆ Alarm: 16CH in, 4CH out ◆ Video Recording: 1080P x 16CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 4CH ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 4 SATA ports(Max 24TB), USB2.0 ◆ 5 Pcs Per Carton ◆ Size: 390mm× 300mm× 110mm ◆ Weight: 8 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$93	VN-9416A









   <p>H.264 24 CH NVR, HDMI Out Support 3M, 5M IP Camera</p>	<ul style="list-style-type: none"> ◆ Solution: HI3535 NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Audio Output: RCA 24CH in, 1CH out ◆ Alarm: 16CH in, 4CH out ◆ Video Recording: 5M x 8CH/ 3M x 16CH/ 1080P x 24CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 4CH ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 8 SATA ports(Max 48TB), USB2.0 ◆ 2 Pcs Per Carton ◆ Size: 385mm× 426mm× 65mm ◆ Weight: 12 KG 	<ul style="list-style-type: none"> ◆ Power: ATX ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$138</p>	<p>VN-9824A</p>
---	--	--	---------------------	------------------------

   <p>H.264 32 CH NVR, HDMI Out Support 3M, 5M IP Camera</p>	<ul style="list-style-type: none"> ◆ Solution: HI3535 NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Audio Output: RCA 32CH in, 1CH out ◆ Alarm: 16CH in, 4CH out ◆ Video Recording: 5M x 8CH/ 3M x 16CH/ 1080P x 24CH/960P x 32CH ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 8CH ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 8 SATA ports(Max 32TB), USB2.0 ◆ 2 Pcs Per Carton ◆ Size: 385mm× 426mm× 65mm ◆ Weight: 12KG 	<ul style="list-style-type: none"> ◆ Power: ATX ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$145</p>	<p>VN-9832A</p>
--	---	--	---------------------	------------------------

   <p>H.264 64 CH NVR, HDMI Out Support 3M, 5M IP Camera</p>	<ul style="list-style-type: none"> ◆ Solution: HI3536 NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Audio Output: RCA 1CH in, 1CH out ◆ Alarm: 16CH in, 4CH out ◆ Video Recording: 24*5M/36*4M/64*1080P ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 4*5M/9*4M/8*1080P ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD, RS485 PTZ ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 8 SATA ports(Max 48TB), USB2.0 ◆ 2 Pcs Per Carton ◆ Size: 385mm× 426mm× 65mm ◆ Weight: 12KG 	<ul style="list-style-type: none"> ◆ Power: ATX ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$368</p>	<p>VN-9864A</p>
---	---	--	---------------------	------------------------

VIII. H.265 4K NVR(4, 8, 16, 24, 32CH)

Product Image	Specifications	Accessories	(USD/unit)	Model No.
   	<ul style="list-style-type: none"> ◆ Solution: HI3798M NVR ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video preview: Up to 4K(4096×2160) ◆ Video Recording: 4x 5M/4 x 4M/4 x 1080P ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1 x 5M/2 x 4M/2 x 3M/4 x 1080P ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android.) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Mac OS, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 252mm× 213mm× 42mm ◆ Weight: 2.5 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$32</p>	<p>VN-7104H</p>
   	<ul style="list-style-type: none"> ◆ Solution: HI3798M NVR ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Video preview: Up to 4K(4096×2160) ◆ Video Recording: 4x 5M/8 x 3M/8 x 1080P ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1 x 5M/2 x 4M/2 x 3M/4 x 1080P ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android.) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Mac OS, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 252mm× 213mm× 42mm ◆ Weight: 2.5 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	<p>\$38</p>	<p>VN-7108H</p>

   	<ul style="list-style-type: none"> ◆ Solution: HI3536 NVR ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Audio Output: RCA 1CH in, 1CH out ◆ Alarm: 16CH in, 4CH out ◆ Video Recording: 5M*24/3M*24/1080P*24 ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 5M*4/3M*4/1080P*4 ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD, RS485 PTZ ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 8 SATA ports(Max 48TB), USB2.0 ◆ 2 Pcs Per Carton ◆ Size: 385mm× 426mm× 65mm ◆ Weight: 12 KG 	<ul style="list-style-type: none"> ◆ Power: ATX ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$198	VN-9824H
   	<ul style="list-style-type: none"> ◆ Solution: HI3536 NVR ◆ Operating System: LINUX, Compression Mode: H.265 ◆ Audio Output: RCA 1CH in, 1CH out ◆ Alarm: 16CH in, 4CH out ◆ Video Recording: 3M*32/1080P*32 ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 3M*9/1080P*9 ◆ Multi-channel playback simultaneously, remote control, mobile view app xmeye ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 8 SATA ports(Max 48TB), USB2.0 ◆ 2 Pcs Per Carton ◆ Size: 385mm× 426mm× 65mm ◆ Weight: 12KG 	<ul style="list-style-type: none"> ◆ Power: ATX ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$215	VN-9832H



IX. H.264 & H.265 PoE NVR

Product Image	Specifications	Accessories	(USD/unit)	Model No.
  <p style="text-align: center; color: red; font-weight: bold; margin-top: 10px;">4CH POE NVR</p>	<ul style="list-style-type: none"> ◆ Solution: HI3515C POE NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Recording: 1080P/720P/960H ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Playback: 1080P x 1CH/720P x 2CH ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), 1 SATA port (Max 6TB), USB2.0 x 2 ◆ 5 Pcs Per Carton ◆ Size:233mm× 300mm× 45mm ◆ Weight: 3 KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (48V 1.5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$34	VN-A7104P
  <p style="text-align: center; color: red; font-weight: bold; margin-top: 10px;">8CH POE NVR</p>	<ul style="list-style-type: none"> ◆ Solution: HI3535 POE NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Recording: 3M/1080P/720P/960H ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Audio: 1CH (IPC should have audio) In, 1CH Out ◆ Playback: 3M x 4CH/1080P x 8CH/720P x 16CH/3M x 4CH ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), 1 SATA port (Max 6TB), USB2.0 x 2 ◆ 5 Pcs Per Carton ◆ Size: 233mm× 300mm× 45mm ◆ Weight: 3.5KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (48V 2.5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$60	VN-A7108P
   <p style="text-align: center; color: red; font-weight: bold; margin-top: 10px;">H.265 8CH POE NVR</p>	<ul style="list-style-type: none"> ◆ Solution: HI3798M POE NVR ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Recording: 5M/4M/3M/1080P/720P, Max 4K (3840*2160) ◆ Video Output: 1CH VGA output, 1CH HDMI ◆ Audio: 1CH (IPC should have audio) In, 1CH Out ◆ Playback: 5M x 2CH/3M x 4CH/960P x 4CH ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: network download, Flash stick, movable HDD, SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), 1 SATA port (Max 6TB), USB2.0 x 2 ◆ 5 Pcs Per Carton ◆ Size: 233mm× 300mm× 45mm ◆ Weight: 3.5KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (48V 2.5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$84	VN-A7108HP

X. H.264 Monitor DVR, NVR, HVR

Product Image	Specifications	Accessories	(USD/unit)	Model No.
 <p>10" Monitor 5 in 1 HVR (AHD, TVI, CVI, IP, CVBS)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: Analog: 1080N at 30 Fps(NTSC), 25 Fps(PAL) IP: 1080P: 1920x1080 at 30 Fps(NTSC), 25 Fps(PAL) ◆ Recording Mode: Manual, Alarm, Motion Detection, Continuous ◆ Playback: 1080N x 4CH at 30 Fps(NTSC), 25 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 5 Pcs Per Carton ◆ Size: 255mmx230mmx45mm ◆ Weight: 4KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$56	VD-A9104HN
 <p>10" Monitor 5 in 1 HVR (AHD, TVI, CVI, IP, CVBS)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3521 ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 8CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: Analog: 1080N at 30 Fps(NTSC), 25 Fps(PAL) IP: 1080P: 1920x1080 at 30 Fps(NTSC), 25 Fps(PAL) ◆ Recording Mode: Manual, Alarm, Motion Detection, Continuous ◆ Playback: 1080N x 8CH at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 5 Pcs Per Carton ◆ Size: 255mmx230mmx45mm ◆ Weight: 4.5KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$64	VD-A9108HN
 <p>12.5" Monitor 5 in 1 HVR (AHD, TVI, CVI, IP, CVBS)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: Analog: 1080P: 1920x1080 at 30 Fps(NTSC), 25 Fps(PAL) IP: 1080P: 1920x1080 at 30 Fps(NTSC), 25 Fps(PAL) ◆ Recording Mode: Manual, Alarm, Motion Detection, Continuous ◆ Playback: 1080N x 1CH at 30 Fps(NTSC), 25 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 5 Pcs Per Carton ◆ Size: 255mmx230mmx45mm ◆ Weight: 4KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 2A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$71	VD-A8104HN
 <p>10" Monitor NVR(16CH 1080P)</p>	<ul style="list-style-type: none"> ◆ Solution: HI3520D ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Realtime Video Recording: Analog: 1080P: 1920x1080 at 30 Fps(NTSC), 25 Fps(PAL) IP: 1080P: 1920x1080 at 30 Fps(NTSC), 25 Fps(PAL) ◆ Recording Mode: Manual, Alarm, Motion Detection, Continuous ◆ Playback: 1080P x 2CH at 30 Fps(NTSC), 25 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection,E-mail, RJ45 (10M/100M), RS485 PTZ, 1 SATA port (Max 6TB), USB2.0 ◆ 5 Pcs Per Carton ◆ Size: 255mmx230mmx45mm ◆ Weight: 4.5KG 	<ul style="list-style-type: none"> ◆ Power: 1PC (12V 5A) ◆ USB Mouse: 1PC ◆ User Manual: 1PC 	\$80	VN-A9116HD

XI. 1080N HVR (4 in 1 HVR, compatitable with AHD, TVI, CVI, CVBS)

Product Image	Specification	Capacity	(USD/unit)	Model No.
 <p>4CH HVR 4 in 1(TVI/CVI/AHD/CVBS)</p>	<ul style="list-style-type: none"> ◆ Solution: Vimicro 738 ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 4CH 1080N at 30 Fps(NTSC), 25 Fps(PAL) ◆ Playback: 4CH x 1080N at 30 Fps(NTSC), 25 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm×230mm×45mm ◆ Weight: 2 KG 		\$16.8	VD-A2104HM
 <p>8CH HVR 4 in 1(TVI/CVI/AHD/CVBS)</p>	<ul style="list-style-type: none"> ◆ Solution: Vimicro 738 ◆ Operating System: LINUX, Compression Mode: H.264 ◆ Video Input/Output: BNC 4CH in, VGA 1CH out; 1 x HDMI (1080P) Out ◆ Audio Input/Output: RCA 4CH in, 1CH out ◆ Realtime Video Recording: 8CH 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Playback: 4CH x 1080N at 12 Fps(NTSC), 12 Fps(PAL) ◆ Multi-channel playback simultaneously, voice intercom, remote control, mobile view app xmeye (iPhone, Android) ◆ Backup Mode: Network Download / USB movable HDD / SATA HDD ◆ iCloud Software, one-click online; Support IE, Firefox, Google Chrome, Safari, 28 kinds of Languages ◆ Support DHCP/PPPOE/DNS/DDNS/NTP/RTSP/IP right management/IP search/network alarm center/WEB clients/standalone clients/SDK ◆ Motion Detection, E-mail, RJ45 (10M/100M), 1 SATA ports(Max 6TB), USB2.0 ◆ 10 Pcs Per Carton ◆ Size: 255mm×230mm×45mm ◆ Weight: 2 KG 		\$21.3	VD-A2108HM

XII. Seagate Hard Disk(1KG)

Product Image	Specification	Capacity	(USD/unit)	Model No.
	<ul style="list-style-type: none"> ◆ Professional Security Hard Disk ◆ Seagate/ Western Digital profession Security Hard Disk 64M, 7200RPM ◆ 500GB/1TB/2TB/3TB/4TB ◆ Weight: 1kg 	1TB	\$48	VH-1000G
		2TB	\$69	VH-2000G
		3TB	\$95	VH-3000G
		4TB	\$140	VH-4000G
		6TB	\$255	VH-6000G

Trade Term:	Say US Dollars
Payment Term:	T/T, Paypal, Western Union and L/C
Warranty:	2 Years